

## AUTHOR INDEX

- Abada A. See Chakib A.
- Abdualiev A. See Kornilovsky I.
- Abi Nader FC. See Jarade EF.
- Ahmed AG. See Alió JL.
- Airiani S, Rozell J, Lee SM, Braunstein RE. The effect of lubricant eye drops on ocular wavefront aberrations. 21(6):709-715.
- Akyürek N. See Bilgihan K.
- Al-Moamar AR. See Farooqui M.
- Alió JL, Mulet ME, Gutiérrez R, Galal A. Artisan toric phakic intraocular lens for correction of astigmatism. 21(4):324-331.
- Alió JL, Ramzy MI, Galal A, Caramonte PJ. Conductive keratoplasty for the correction of residual hyperopia after LASIK. 21(6):698-704.
- Alió JL, Shabayek MH, Montes-Mico R, Mulet ME, Ahmed AG, Merayo J. Intracorneal hydrogel lenses and corneal aberrations. 21(3):247-252.
- Alió J. See Galal A.
- Alió JL. See Waring GO III.
- Amano S. See Nanba A.
- Ambrósio R Jr. See Netto MV.
- Ameline B. See Reinstein DZ.
- Androudi S. See Papadopoulos NT.
- Applegate RA, Krueger RR, Pesudovs K, Chalita MR. Introduction to the proceedings of the 6th International Congress on Wavefront Sensing and Optimized Refractive Corrections. 21(5):S506-S507.
- Applegate RA. See Donnelly WJ III.
- Arai H. See Ito M.
- Archer TJ. See Reinstein DZ.
- Ariyasu RG. See Yo C.
- Artola A. See Galal A.
- Asano-Kato N. See Ito M.
- Aslanides IM. See Kymionis GD.
- Assetto V. See Benedetti S.
- Astyrakakis NI. See Kymionis GD.
- Atchison DA. See Charman WN.
- Awwad ST, Haithcock KK, Oral D, Bowman RW, Cavanagh HD, McCulley JP. A comparison of induced astigmatism in conventional and wavefront-guided myopic LASIK using LADARVision4000 and VISX S4 platforms. 21(6):S792-S798.
- Baer CD. See Neal DR.
- Bains HS. See El-Danasoury A.
- Bains HS. See Holladay JT.
- Bains HS. See Pop M.
- Bains HS. See Zaldivar R.
- Balidis M. See Papadopoulos NT.
- Barabino S. See Chen W.
- Barbara A, Shehadeh-Masha'our R, Sartani G, Garzozzi HJ. Reactivation of ocular toxoplasmosis after LASIK. 21(6):759-761. [Report]
- Barbara A, Shehadeh-Masha'our R, Zvi F, Garzozzi HJ. Management of pellucid marginal degeneration with intracorneal ring segments. 21(3):296-298. [Report]
- Barberi R. See Lombardo M.
- Barbero S. See Marcos S.
- Baroquet IS, Levy J, Klempner I, Hirsh A, Pollack A, Lifshitz T, Levinger S. Laser in situ keratomileusis for correction of myopia in eyes after retinal detachment surgery. 21(2):191-193. [Report]
- Bartels MC. See Budo C.
- Bartolomei A. See Leccisotti A.
- Belfort R Jr. See Rocha KM.
- Benedetti S, Casamenti V, Marcaccio L, Brogioni C, Assetto V. Correction of myopia of 7 to 24 diopters with the Artisan phakic intraocular lens: two-year follow-up. 21(2):116-126.
- Bilgihan K, Konuk O, Hondur A, Akyürek N, Özogul C, Hasanreisoglu B. Effect of topical vitamin E on ethanol-induced corneal epithelial apoptosis. 21(6):761-763. [Report]
- Bilgihan K. See Hondur A.
- Binder PS, Lindstrom RL, Stulting RD, Donnenfeld E, Wu H, McDonnell P, Rabinowitz Y. Keratoconus and corneal ectasia after LASIK. 21(6):749-752. [Special Article]
- Binder PS. See Flanagan GW.
- Blanco-Mezquita JT. See Torres RM.
- Bourne WM. Corneal sensitivity to mechanical and chemical stimulation after LASIK. 21(6):764. [Letter]
- Bowman RW. See Awwad ST.
- Bradley JC. See Brown SM.
- Bragheeth MA, Dua HS. Effect of refractive and topographic astigmatic axis on LASIK correction of myopic astigmatism. 21(3):269-275.
- Brazitikos PD. See Papadopoulos NT.
- Braunstein RE. See Airiani S.
- Brint SF. Higher order aberrations after LASIK for myopia with Alcon and WaveLight lasers: a prospective randomized trial. 21(6):S799-S803.
- Broc L. See Navarro R.
- Brogioni C. See Benedetti S.
- Brown SM. Comparison of the Colvard pupillometer and the Zywave for measuring scotopic pupil diameter. 21(1):92. [Letter]
- Brown SM, Bradley JC. Pupil size in refractive surgery candidates. 21(3):303. [Letter]
- Budo C, Bartels MC, van Rij G. Implantation of Artisan toric phakic intraocular lenses for the correction of astigmatism and spherical errors in patients with keratoconus. 21(3):218-222.
- Bueeler M, Mrochen M. Simulation of eye-tracker latency, spot size, and ablation pulse depth on the correction of higher order wavefront aberrations with scanning spot laser systems. 21(1):28-36.
- Campbell C. The effect of tear film on higher order corrections applied to the corneal surface during wavefront-guided refractive surgery. 21(5):S519-S524.
- Campbell CE. A test eye for wavefront eye refractors. 21(2):127-140.
- Campos M. See Naseri A.
- Cantú R, Rosales MA, Tepichín E. Comparison of the WF, PSF, Strehl ratio, and MTF between 20/20 untreated, post advanced surface ablation (ASA), and post pseudoaccommodative (presbyopic) advanced surface ablation (PASA) eyes. 21(5):S658. [Abstract]
- Cantú R, Rosales MA, Tepichín E, Curioca A, Montes V, Ramirez-Zavaleta G. Objective quality of vision in presbyopic and non-presbyopic patients after pseudoaccommodative advanced surface ablation. 21(5):S603-S605.
- Cantú R, Tepichín E, Rosales MA. Comparison of the WF, PSF, Strehl ratio, and MTF between 20/20 natural human eyes and artificial optical systems. 21(5):S658. [Abstract]
- Capasso L. See Rosa N.
- Carrel H. See Lin Y-Y.
- Carrillo C, Chayet AS, Dougherty PJ, Montes M, Magallanes R, Najman J, Fleitman J, Morales A. Incidence of complications during flap creation in LASIK using the NIDEK MK-2000 microkeratome in 26,600 cases. 21(5):S655-S657.
- Carrillo C. See Chayet AS.
- Carones F, Vigo L, Scandola E. First clinical experience with the Alcon LADAR 6000 excimer laser. 21(6):S781-S785.
- Casamenti V. See Benedetti S.
- Caster AI, Hoff JL, Ruiz R. Conventional vs wavefront-guided LASIK using the LADARVision4000 excimer laser. 21(6):S786-S791.
- Cavanagh HD. See Awwad ST.
- Ceri H. See Morck DW.
- Chakib A, Dihaj S, Abada A. Diabetic retinopathy: epidemiological study. 21(5):S659. [Abstract]
- Chakib A, Hajji I, Rekkas A. Primary glaucoma: epidemiological study. 21(5):S659. [Abstract]
- Chakib A, Laila B, Sbai D. Deep sclerectomy and advanced glaucoma. 21(5):S658-S659. [Abstract]
- Chalita MR. See Applegate RA.
- Chalita MR. See Rocha KM.
- Chalita MR. See Waheed S.
- Chang S-W. Corneal keratocyte apoptosis following topical intraoperative mitomycin C in rabbits. 21(5):446-453.
- Charman WN, Atchison DA. Theoretical effect of changes in entrance pupil magnification on wavefront-guided laser refractive corneal surgery. 21(4):386-391.
- Charman WN. See Naroo SA.
- Chayet AS. Clinical experience with the NIDEK MK-2000 keratome system. 21(5):S656. [Abstract]
- Chayet AS. Effects of MMC after photorefractive keratectomy. 21(5):S659-S660. [Abstract]
- Chayet AS, Carrillo C, Missiroli F, Litwak S, Robeldo N, Zadok D. The effect of corneal flap on optical aberrations. 21(5):S660. [Abstract]
- Chayet AS, Retana RM, Morales A, Gama EM, Silva NR. Clinical outcomes of wavefront-guided LASIK with the NIDEK EC-5000 and OPDCAT: 6-month follow-up. 21(5):S659. [Abstract]
- Chayet AS. See Carrillo C.
- Chayet AS. See Waring GO III.
- Chen W, Qu J, Wang Q, Lu F, Barabino S. Automated lamellar keratoplasty for recurrent granular corneal dystrophy after phototherapeutic keratectomy. 21(3):288-293.
- Cheng ACK, Lam DSC. Central island treatment using Technolas 217 based on Orbscan II assessment. 21(3):294-296. [Report]

- Cheng ACK, Lam DSC. Comparison of the Colvard pupillometer and the Zywave for measuring scotopic pupil diameter. 21(1):92-93. [Reply to Letter]
- Cheng ACK, Lam DSC. Diurnal fluctuation of higher order ocular aberrations: correlation with intraocular pressure and corneal thickness. 21(2):201. [Letter]
- Cheng ACK, Lam DSC. Keratometry for intraocular lens power calculation using Orbscan II in eyes with laser in situ keratomileusis. 21(4):365-368.
- Cheng ACK, Rao SK, Lam DSC. Monovision LASIK for pre-presbyopic and presbyopic patients. 21(4):411-412. [Letter]
- Chernyak DA. From wavefront device to laser: an alignment method for complete registration of the ablation to the cornea. 21(5):463-468.
- Chernyak DA. See Tuan KA.
- Chixin D, Ye S, Yang W. Comparison of conventional versus wavefront-guided LASIK in the same patient. 21(5):S660. [Abstract]
- Cho W. See Lee J.
- Choudhri SA, Feigenbaum SK, Pepose JS. Factors predictive of LASIK flap thickness with the Hansatome zero compression microkeratome. 21(3):253-259.
- Ciccio AE, Durrie DS, Stahl JE, Schwendeman F. Ocular cyclotorsion during customized laser ablation. 21(6):S772-S774.
- Cigales M. See Hoyos JE.
- Claramonte PJ. See Alió JL.
- Corcóstegui B. See Navarro R.
- Cosar CB, Sener AB. LASIK with an inferior hinge. 21(2):197-199. [Report]
- Couch D. See Reinstein DZ.
- Cox MJ. See Dietze HH.
- Cristol SM. See Jun RM.
- Curioa A. See Cantú R.
- Dai J, Kefeí L, Jingjie W, Xuge W, Jihua C, Yishu W, Fangquan M, Jinsuo X, Xiangkun Z, Qing L. Effect of NIDEK customized ablation using NAVEX platform. 21(5):S660. [Abstract]
- Das S, Langenbucher A, Seitz B. Excimer laser phototherapeutic keratectomy for granular and lattice corneal dystrophy: a comparative study. 21(6):727-731.
- Dawson DG. See Schmack I.
- Dementyev DD, Kourenkov VV, Rodin AS, Fadeykina TL, Martines TED. Retinal nerve fiber layer changes after LASIK evaluated with optical coherence tomography. 21(5):S623-S627.
- De Santo MP. See Lombardo M.
- Dietze HH, Cox MJ. Limitations of correcting spherical aberration with aspheric intraocular lenses. 21(5):S541-S546.
- Dihaj S. See Chakib A.
- Donnelly WJ III, Applegate RA. Influence of exposure time and pupil size on a Shack-Hartmann metric of forward scatter. 21(5):S547-S551.
- Donnenfeld E. See Binder PS.
- Dougherty PJ. Comparison of outcomes between the NIDEK EC-5000, Alcon CustomCornea, and VISX CustomVue excimer laser systems. 21(5):S660-S661. [Abstract]
- Dougherty PJ. Introduction to the 10th NIDEK International Refractive Surgery Symposium: a tale of two cities. 21(5):S593-S594.
- Dougherty PJ. The thin-flap LASIK technique. 21(5):S650-S654.
- Dougherty PJ. See Carrillo C.
- Dua HS. See Bragheeth MA.
- Duffey RJ, Leaming D. US trends in refractive surgery: 2003 ISRS/AAO survey. 21(1):87-91. [Special Article]
- Duffey RJ, Leaming D. US trends in refractive surgery: 2004 ISRS/AAO survey. 21(6):742-748. [Special Article]
- Dupps WJ Jr. Biomechanical modeling of corneal ectasia. 21(2):186-190. [Special Article]
- Durrie DS, Stahl JE, Schwendeman F. Alcon LADARWave CustomCornea retreatments. 21(6):S804-S807.
- Durrie DS. See Ciccio AE.
- Dvali ML, Tsintsadze NA, Mirtskhulava SI. Features of hyperopic LASIK in children. 21(5):S614-S616.
- Edelhauser HF. See Schmack I.
- El-Danasoury A. Optimized vs customized vs conventional LASIK with the NIDEK platform. 21(5):S661. [Abstract]
- El-Danasoury A, Bains HS. Optimized prolate corneal ablation: case report of the first treated eye. 21(5):S598-S602.
- Emre S. See Hellstedt T.
- Erklic K, Ulusal H, Köse O. The evaluation of the flap thickness in LASIK cases performed using the NIDEK MK-2000 microkeratome. 21(5):S661. [Abstract]
- Ersöz TR. See Yagmur M.
- Fadeykina TL. See Dementyev DD.
- Fangquan M. See Dai J.
- Fant B. See Waring GO III.
- Farooqui M, Al-Moamar AR. Wavefront-guided versus conventional LASIK for low to moderate myopia. 21(5):S661. [Abstract]
- Feigenbaum SK. See Choudhri SA.
- Findl O. Intraocular lenses for restoring accommodation: hope and reality. 21(4):321-323. [Guest Editorial]
- Fisher J. See Waring GO III.
- Flanagan GW, Binder PS. The theoretical vs. measured laser resection for laser in situ keratomileusis. 21(1):18-27.
- Fleitman J. See Carrillo C.
- Forseto AS. See Naseri A.
- Fotiadis K. See Papadopoulos NT.
- Francesconi CM. See Naseri A.
- Freitas LL. See Rocha KM.
- Frucht-Pery J. See Lifshitz T.
- Fukagawa K. See Ito M.
- Gallitis RP. Comparison of LASIK outcomes with the Alcon LADARVision4000 and the VISX STAR S2 excimer lasers using optimized nomograms. 21(6):683-690.
- Galal A, Artola A, Alió J. Hyperopic enhancement procedure: visual and refractive results 1 year post-enhancement. 21(5):S662. [Abstract]
- Galal A, Santonja JP, Alió J. Severe corneal epithelial sloughing during LASIK as a presenting sign for silent basal membrane dystrophy. 21(5):S662. [Abstract]
- Galal A. See Alió JL.
- Gallar J. Corneal sensitivity to mechanical and chemical stimulation after LASIK. 21(6):764. [Reply to Letter]
- Gama EM. See Chayet AS.
- Garg P. See Singhal S.
- Garzozzi HJ. See Barbara A.
- Gerten G. See Kermani O.
- Godzaeva A. See Kornilovsky I.
- Goes FJ. LASIK for myopia with the Zeiss Meditec MEL 80. 21(6):691-697.
- Goldberg DB. Monovision LASIK for pre-presbyopic and presbyopic patients. 21(4):411. [Letter]
- Greco G. See Leccisotti A.
- Grim M, Sheard J, Martin L. LASIK enhancement using excimer laser ablation on the back of the flap. 21(5):S610-S613.
- Gris O. See Navarro R.
- Grossniklaus HE. See Schmack I.
- Gualdi M. See Scerrati E.
- Guirao A. Theoretical elastic response of the cornea to refractive surgery: risk factors for keratectasia. 21(2):176-185. [Special Article]
- Günther CP. See Torres RM.
- Guthoff R. See Stachs O.
- Gutiérrez R. See Torres RM.
- Gutiérrez R. See Alió JL.
- Haddad WF. See Khoury JM.
- Haithcock KK. See Awwad ST.
- Hajji I. See Chakib A.
- Hammer T, Hanschke R, Wörner I, Wilhelm FW. Evaluation of four microkeratome models: quality and reproducibility of cut edge and cut surface as determined by scanning electron microscopy. 21(5):454-462.
- Hancock R. See Morck DW.
- Hanschke R. See Hammer T.
- Hao J. See Sun L.
- Hardten DR, Hira NK, Lombardo AJ. Triptans and the incidence of epithelial defects during laser in situ keratomileusis. 21(1):72-76.
- Hardten DR. See Lahners WJ.
- Hasanreisoglu B. See Bilgihan K.
- Hasanreisoglu B. See Hondur A.
- Hashemian SJ, Jafari E. Laser in situ keratomileusis versus laser subepithelial keratectomy for the correction of low to moderate myopia using the NIDEK EC-5000 excimer laser. 21(5):S662. [Abstract]
- He R, Qu M, Yu S. Comparison of NIDEK CATZ wavefront-guided LASIK to traditional LASIK with the NIDEK CXII excimer laser in myopia. 21(5):S646-S649.
- Hellstedt T, Mäkelä J, Uusitalo R, Emre S, Uusitalo R. Treating keratoconus with Intacs corneal ring segments. 21(3):236-246.
- Henry L. See Poonja S.
- Hira NK. See Hardten DR.
- Hirsh A. See Barequet IS.
- Hoff JL. See Caster AI.

- Holladay JT. Epithelial ingrowth following LASIK—diagnosis and treatment. 21(5):S663. [Abstract]
- Holladay JT. Measuring quality of vision and contrast sensitivity with the NIDEK OPD-scan. 21(5):S663. [Abstract]
- Holladay JT, Bains HS. Optimized prolate ablations with the NIDEK CXII excimer laser. 21(5):S595-S597.
- Holland SP. See Morck DW.
- Hondur A, Bilgihan K, Hasanreisoglu B. Phototherapeutic LASEK for a persistent epithelial defect and a recurrent epithelial erosion. 21(4):406-407. [Report]
- Hondur A. See Bilgihan K.
- Hoyos JE, Cigales M, Hoyos-Chacón J. Zonular dehiscence two years after phakic refractive lens (PRL) implantation. 21(1):13-17.
- Hoyos-Chacón J. See Hoyos JE.
- Hu F-R. See Lin Y-Y.
- Huhtala A. See Pietilä J.
- Hwang DG. See Naseri A.
- Iihua C. See Dai J.
- Ito M, Asano-Kato N, Fukagawa K, Arai H, Toda I, Tsubota K. Ocular integrity after anterior ciliary sclerotomy and scleral ablation by the Er:YAG laser. 21(1):77-81.
- Jafari E. See Hashemian SJ.
- Jarade EF, Abi Nader FC, Tabbara KF. Intraocular pressure measurement after hyperopic and myopic LASIK. 21(4):408-410. [Report]
- Jhanjhi V. See Singhvi A.
- Jiménez-Alfaro I. See Marcos S.
- Jingjie W. See Dai J.
- Jinsuo X. See Dai J.
- Jun FX. See Li LW.
- Jun RM, Cristol SM, Kim MJ, Seo KY, Kim JB, Kim EK. Rates of epithelial ingrowth after LASIK for different excimer laser systems. 21(3):276-280.
- Kalinderis KA. See Papadopoulos NT.
- Kanellopoulos AJ. Topography-guided custom retreatments in 27 symptomatic eyes. 21(5):S513-S518.
- Kanellopoulos AJ, Pe LH, Kleiman L, Moria M2 single use microkeratome head in 100 consecutive LASIK procedures. 21(5):476-479.
- Kang H-Y. See Lee J.
- Karon MD. See Klyce SD.
- Kaufman SC. See Shaikh NM.
- Kefeil L. See Dai J.
- Keith EJ. See Morck DW.
- Kenyon KR. Phaco chop: mastering techniques, optimizing technology, and avoiding complications. 21(3):307. [Book Review]
- Kermani O, Oberheide U, Schmiedt K, Gerten G. Aspheric, topo- and wavefront-based ablations. 21(5):S663. [Abstract]
- Kermani O, Oberheide U, Schmiedt K, Gerten G. LASIK in hyperopia and hyperopic astigmatism. 21(5):S663. [Abstract]
- Kermani O, Schmiedt K, Oberheide U, Gerten G. Hyperopic laser in situ keratomileusis with 5.5-, 6.5-, and 7.0-mm optical zones. 21(1):52-58.
- Kerminov K. See Kornilovsky I.
- Khoury JM, Haddad WF, Noureddin B. LASIK for high myopic astigmatism resulting from perforating ocular injury. 21(6):756-759. [Report]
- Kim EK. See Jun RM.
- Kim JB. See Jun RM.
- Kim JY. See Lee J.
- Kim MJ. See Jun RM.
- Kleiman L. See Kanellopoulos AJ.
- Klemperer I. See Barequet IS.
- Klemperer I. See Levy J.
- Klemperer I. See Lifshitz T.
- Klyce S. Determination of the functional optical zone after keratorefractive surgery. 21(5):664. [Abstract]
- Klyce S. Wavefront for dummies. 21(5):S664. [Abstract]
- Klyce S. Zernike vs Fourier analysis for guiding individualized laser sculpting. 21(5):S664. [Abstract]
- Klyce SD. Evaluating aberrations induced after refractive surgery must take pupil size into account. 21(6):764-765. [Letter]
- Klyce SD, Karon MD, Smolek MK. Screening patients with the corneal navigator. 21(5):S617-S622.
- Kolesnikov D. See Kornilovsky I.
- Konuk O. See Bilgihan K.
- Kornilovsky I, Godzaeva A, Kolesnikov D. Accommodative compensation of ametropia and optical aberrations in photorefractive surgery. 21(5):S664. [Abstract]
- Kornilovsky I, Kerminov K, Godzaeva A, Abdaliev A. Photorefractive operations in regeneration of disturbance of binocular functions at myopia. 21(5):S665. [Abstract]
- Köse O. See Erkilic K.
- Kotb AA, Tabbara KF. Corneal haze after LASEK and PRK. 21(5):S665. [Abstract]
- Kotb AA, Tabbara KF. Laser subepithelial keratomileusis vs photorefractive keratectomy in the correction of myopia. 21(5):S665. [Abstract]
- Kourenkov VV. See Dementyev DD.
- Kovalszky I. See Resch MD.
- Krueger RR. Introduction to commercially approved wavefront-guided customization: third year in review. 21(6):S767-S768.
- Krueger RR. Technological improvements with the Alcon LADAR 6000 excimer laser platform. 21(6):S775-S780.
- Krueger RR, Miranda D. Monovision LASIK for pre-presbyopic and presbyopic patients. 21(4):412. [Reply to Letter]
- Krueger RR. See Applegate RA.
- Krueger RR. See Waheed S.
- Kubo M. See Oh-i K.
- Kumar V. See Kymionis GD.
- Kymes S. See Polk EE.
- Kymionis GD, Naoumidi TL, Aslanides IM, Kumar V, Astyrakakis NI, Tsilimbaris M, Pallikaris IG. Intraocular pressure measurements after conductive keratoplasty. 21(2):171-175.
- Lahnens WJ, Hardten DR, Lindstrom RL. Alcohol and mechanical scraping for epithelial ingrowth following laser in situ keratomileusis. 21(2):148-151.
- Laila B. See Chakib A.
- Lam DSC. See Cheng ACK.
- Langa A. See Pérez-Carrasco MJ.
- Langenbacher A. See Das S.
- Lanza M. See Rosa N.
- Lapid-Gortzak R. See Levy J.
- Laroche L. See Reinstein DZ.
- Leaming D. See Duffey RJ.
- Leccisotti A, Bartolomei A, Greco G, Manetti C. Incidence of bacterial keratitis after photorefractive keratectomy. 21(1):96. [Letter]
- Lee J, Lee J, Park K, Cho W, Kim JY, Kang H-Y. Assessing the value of laser in situ keratomileusis by patient-reported outcomes using quality of life assessment. 21(1):59-71.
- Lee J. See Lee J.
- Lee SM. See Airiani S.
- Lee TL. See Morck DW.
- Lee VW-h. See Mok KH.
- Levinger S. See Barequet IS.
- Levinger S. See Lifshitz T.
- Levy J. See Barequet IS.
- Levy J. See Lifshitz T.
- Levy J, Lapid-Gortzak R, Klemperer I, Lifshitz T. Herpes simplex virus keratitis after laser in situ keratomileusis. 21(4):400-402. [Report]
- Li J. See Sun L.
- Li LW, Mei WQ, Jun FX. Combined flap undersurface and bed LASIK for high myopia. 21(5):S606-S609.
- Liangcheng W. See Xingtao Z.
- Lifshitz T. See Barequet IS.
- Lifshitz T, Levy J, Klemperer I. Bacterial keratitis after laser subepithelial keratectomy. 21(1):94-96. [Letter]
- Lifshitz T, Levy J, Klemperer I, Levinger S. Late bilateral keratectasia after LASIK in a low myopic patient. 21(5):494-496. [Report]
- Lifshitz T, Levy J, Raikup F, Klemperer I, Frucht-Pery J. Two cases of pneumococcal keratitis following myopic LASIK. 21(5):498-501. [Report]
- Lifshitz T. See Levy J.
- Lin J-M, Tsai Y-Y. Comparison of ablation centration after bilateral sequential versus simultaneous LASIK. 21(6):705-708.
- Lin J-M, Tsai Y-Y. Retinal phlebitis after LASIK. 21(5):501-504. [Report]
- Lin J-M, Tsai Y-Y, Tseng S-H. Spontaneous regression of dense epithelial ingrowth after laser in situ keratomileusis. 21(3):300-302. [Report]
- Lin JT. A new formula for ablation depth in three-zone laser in situ keratomileusis. 21(4):413-414. [Letter]
- Lin JT. New formulas comparing the accommodation in human lens and intraocular lens. 21(2):200-201. [Letter]
- Lin JT. The roles of corneal power and anterior chamber depth on the accommodation in aphakic intraocular lenses. 21(6):765-766. [Letter]
- Lin P-J. See Lin Y-Y.

- Lin Y-Y, Carrel H, Wang I-J, Lin P-J, Hu F-R. Effect of tear film break-up on higher order aberrations of the anterior cornea in normal, dry, and post-LASIK eyes. 21(5):S525-S529.
- Lindbohm N, Moilanen JAO, Vesaluoma MH, Tervo TMT. *Acinetobacter* and *Staphylococcus aureus* ulcerative keratitis after laser in situ keratomileusis treated with antibiotics and phototherapeutic keratectomy. 21(4):404-406. [Report]
- Lindstrom RL. See Binder PS.
- Lindstrom RL. See Lahners WJ.
- Litwak S. See Chayet AS.
- Liu G. See Sun L.
- Liu X. See Sun L.
- Lombardo AJ. See Hardten DR.
- Lombardo G. See Lombardo M.
- Lombardo M, De Santo MP, Lombardo G, Barberi R, Serrao S. Roughness of excimer laser ablated corneas with and without smoothing measured with atomic force microscopy. 21(5):469-475.
- López-Castro A. See Pérez-Carrasco MJ.
- Lu F. See Chen W.
- Magallanes R. See Carrillo C.
- Mäkelä J. See Hellstedt T.
- Mäkinen P. See Pietilä J.
- Manetti C. See Leccisotti A.
- Marcaccio L. See Benedetti S.
- Marcos S, Barbero S, Jiménez-Alfaro I. Optical quality and depth-of-field of eyes implanted with spherical and aspheric intraocular lenses. 21(3):223-235.
- Martin L. See Grim M.
- Martin R, Rodriguez G. Reverse geometry contact lens fitting after corneal refractive surgery. 21(6):753-756. [Report]
- Martin RG, Sanders DR. A comparison of higher order aberrations following implantation of four foldable intraocular lens designs. 21(6):716-721.
- Martines TED. See Demytyev DD.
- Martínez-García C. See Torres RM.
- Máthé M. See Resch MD.
- McCarey BE. See Schmack I.
- McCulley JP. See Awwad ST.
- McDonnell P. See Binder PS.
- Mei WQ. See Li LW.
- Merayo J. See Alió JL.
- Merayo-Llows J. See Torres RM.
- Mihashi T. See Nanba A.
- Miller D. Phakic intraocular lenses: principles and practice. 21(4):415. [Book Review]
- Miranda D. See Krueger RR.
- Mirtskhulava SI. See Dvali ML.
- Missiroli F. See Chayet AS.
- Mohammadpour M. Comparison of different devices for measuring corneal thickness. 21(5):S666. [Abstract]
- Moilanen JAO. See Lindbohm N.
- Mok KH. Evaluating aberrations induced after refractive surgery must take pupil size into account. 21(6):765. [Reply to Letter]
- Mok KH, Lee VW-h. Effect of optical zone ablation diameter on LASIK-induced higher order optical aberrations. 21(2):141-143.
- Montefiore G. See Reinstein DZ.
- Montes M. See Carrillo C.
- Montes V. See Cantú R.
- Montes-Mico R. See Alió JL.
- Morales A. See Carrillo C.
- Morales A. See Chayet AS.
- Morck DW, Holland SP, Ceri H, Hancock R, Scott-Gough M, Nguyen V, Keith EJ, Lee TL. Use of polymyxin as an endotoxin blocker in the prevention of diffuse lamellar keratitis in an animal model. 21(2):152-157.
- Mori H. See Oh-i K.
- Mrochen M. See Bueeler M.
- Muccioli C. See Rocha KM.
- Múlet ME. See Alió JL.
- Muramatsu R. See Oh-i K.
- Nagy ZZ. See Resch MD.
- Najjar DM. LASIK risk score: an easy method to predict postoperative outcome. 21(4):399-400. [Report]
- Najman J. See Carrillo C.
- Nanba A, Amano S, Oshika T, Uno T, Toshino A, Ohashi Y, Yamaguchi T, Mihashi T. Corneal higher order wavefront aberrations after hyperopic laser in situ keratomileusis. 21(1):46-51.
- Naoumidi TL. See Kymionis GD.
- Naroo SA, Charman WN. Surface roughness after excimer laser ablation using a PMMA model: profilometry and effects on vision. 21(3):260-268.
- Narvaez J. See Waring GO III.
- Naseri A, Forseto AS, Francesconi CM, Hwang DG, Campos M, Nose W. Comparison of topographic corneal irregularity after LASIK and intrastromal corneal ring segments in the same patients. 21(6):722-726.
- Navarro R, Gris O, Broc L, Corcóstegui B. Bilateral giant retinal tear following posterior chamber phakic intraocular lens implantation. 21(3):298-300. [Report]
- Neal DR, Baer CD, Topa DM. Errors in Zernike transformations and non-modal reconstruction methods. 21(5):S558-S562.
- Neal DR. See Panagopoulou SI.
- Netto MV, Ambrósio R Jr, Shen TT, Wilson SE. Wavefront analysis in normal refractive surgery candidates. 21(4):332-338.
- Netto MV, Wilson SE. Indications for excimer laser surface ablation. 21(6):734-741. [Special Article]
- Nose W. See Naseri A.
- Noureddin B. See Khoury JM.
- Nugyen V. See Morck DW.
- Oberheide U. See Kermani O.
- Oh-i K, Mori H, Kubo M, Muramatsu R, Usui M. LASIK flap dislocation by blunt trauma seven weeks after surgery. 21(1):93-94. [Letter]
- Ohashi Y. See Nanba A.
- Oral D. See Awwad ST.
- Oscherow S. See Zaldivar R.
- Oshika T. See Nanba A.
- Özcan AA. See Yagmur M.
- Özogul C. See Bilgihan K.
- Pal N. See Singhvi A.
- Pallikaris A. Adaptive optics ophthalmoscopy: results and applications. 21(5):S570-S574.
- Pallikaris IG. See Kymionis GD.
- Panagopoulou SI, Neal DR. Zonal matrix iterative method for wavefront reconstruction from gradient measurements. 21(5):S563-S569.
- Papadopoulos NT, Balidis M, Brazitikos PD, Androudi S, Fotiadis K, Kalinderis KA, Stangos NT. Non-contact holmium:YAG laser thermal keratoplasty for hyperopia: two-year follow-up. 21(1):82-86.
- Park K. See Lee J.
- Patel S. See Poonja S.
- Pe LH. See Kanellopoulos AJ.
- Pepose JS. See Choudhri SA.
- Pérez-Carrasco MJ, Puell MC, Sánchez-Ramos C, López-Castro A, Langa A. Effect of a yellow filter on contrast sensitivity and disability glare after laser in situ keratomileusis under mesopic and photopic conditions. 21(2):158-165.
- Pesudovs K. Involvement of neural adaptation in the recovery of vision after laser refractive surgery. 21(2):144-147.
- Pesudovs K. Wavefront aberration outcomes of LASIK for high myopia and high hyperopia. 21(5):S508-S512.
- Pesudovs K. See Applegate RA.
- Phillips S. See Waring GO III.
- Pietilä J, Mäkinen P, Suominen S, Huhtala A, Uusitalo H. Corneal flap measurements in laser in situ keratomileusis using the Moria M2 automated microkeratome. 21(4):377-385.
- Polk EE, Wexler SA, Kymes S. Incidence of corneal epithelial defects with the standard and zero-compression Hansatome microkeratomes. 21(4):359-364.
- Pollack A. See Barequet IS.
- Poonja S, Patel S, Henry L, Roorda A. Dynamic visual stimulus presentation in an adaptive optics scanning laser ophthalmoscope. 21(5):S575-S580.
- Pop M, Bains HS. Clinical outcomes of CATz versus OPDCAT. 21(5):S636-S639.
- Price FW Jr. Corneal transplantation as a refractive surgical procedure. 21(3):216-217. [Guest Editorial]
- Price FW Jr, Price MO. Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. 21(4):339-345.
- Price MO. See Price FW Jr.
- Puech M. See Reinstein DZ.
- Puell MC. See Pérez-Carrasco MJ.
- Qing L. See Dai J.
- Qu J. See Chen W.
- Qu M. See He R.

- Rabinowitz Y. See Binder PS.
- Raiskup F. See Lifshitz T.
- Ramirez-Zavaleta G. See Cantú R.
- Ramzy MI. See Alió JL.
- Rao SK. See Cheng ACK.
- Reinstein DZ, Ameline B, Puech M, Montefiore G, Laroche L. VHF digital ultrasound three-dimensional scanning in the diagnosis of myopic regression after corneal refractive surgery. 21(5):480-484.
- Reinstein DZ, Archer TJ, Couch D, Schroeder E, Wottke M. A new night vision disturbances parameter and contrast sensitivity as indicators of success in wavefront-guided enhancement. 21(5):S535-S540.
- Rekkaa A. See Chakib A.
- Ren Y. See Sun L.
- Resch MD, Nagy ZZ, Szentmáry N, Máthé M, Kovalszky I, Süveges I. Spatial distribution of keratan sulfate in the rabbit cornea following photorefractive keratectomy. 21(5):485-493.
- Retana RM. See Chayet AS.
- Robeldo N. See Chayet AS.
- Rocha KM, Chalita MR, Souza CEB, Soriano ES, Freitas LL, Muccioli C, Belfort R Jr. Postoperative wavefront analysis and contrast sensitivity of a multifocal apodized diffractive IOL (ReSTOR) and three monofocal IOLs. 21(6):S808-S812.
- Rodin AS. See Dementyev DD.
- Rodriguez G. See Martin R.
- Rodríguez G. See Torres RM.
- Romano A. See Rosa N.
- Roorda A. See Poonja S.
- Rosa N, Capasso L, Lanza M, Romano A. Axial eye length evaluation before and after myopic photorefractive keratectomy. 21(3):281-287.
- Rosales MA. See Cantú R.
- Rozell J. See Airiani S.
- Ruiz R. See Caster AI.
- Sánchez-Ramos C. See Pérez-Carrasco MJ.
- Sanders DR. See Martin RG.
- Santonja JP. See Galal A.
- Sari S. See Yagmur M.
- Sartani G. See Barbara A.
- Shai D. See Chakib A.
- Scandola E. See Carones F.
- Scerrati E, Gualdi M. Correction of myopic astigmatism using subjective best spectacle-corrected visual acuity and small optical zone with NAVEX excimer laser system. 21(5):S666. [Abstract]
- Schanzer C. See Waring GO III.
- Schmack I, Dawson DG, McCarey BE, Waring GO III, Grossniklaus HE, Edelhauser HF. Cohesive tensile strength of human LASIK wounds with histologic, ultrastructural, and clinical correlations. 21(5):433-445.
- Schmeidt. K See Kermani O.
- Schneider H. See Stachs O.
- Schroeder E. See Reinstein DZ.
- Schwendeman F. See Ciccio AE.
- Schwendeman F. See Durrie DS.
- Schwiegerling J. Modal reconstruction methods with Zernike polynomials. 21(5):S552-S557.
- Scott-Gough M. See Morck DW.
- Seitz B. See Das S.
- Sener AB. See Cosar CB.
- Seo KY. See Jun RM.
- Serrao S. See Lombardo M.
- Shabayek MH. See Alió JL.
- Shaikh NM, Wee CE, Kaufman SC. The safety and efficacy of photorefractive keratectomy after laser in situ keratomileusis. 21(4):353-358.
- Sharma A. See Sony P.
- Sharma N. See Sony P.
- Sharma N, Singhvi A, Sinha R, Vajpayee RB. Reasons for not performing LASIK in refractive surgery candidates. 21(5):496-498. [Report]
- Sheard J. See Grim M.
- Shehadeh-Masha'our R. See Barbara A.
- Shen TT. See Netto MV.
- Sihota R. See Sony P.
- Silva NR. See Chayet AS.
- Singhal S, Sridhar MS, Garg P. Bilateral peripheral infiltrative keratitis after LASIK. 21(4):402-404. [Report]
- Singhvi A, Jhanjhi V, Pal N, Sinha R. Epiretinal membrane formation in retinitis pigmentosa following laser in situ keratomileusis. 21(3):305-306. [Letter]
- Singhvi See. Sharma N.
- Sinha R. See Sharma N.
- Sinha R. See Singhvi A.
- Smolek MK. See Klyce SD.
- Somani S. See Tuan KA.
- Sony P, Sihota R, Sharma N, Sharma A, Vajpayee RB. Influence of LASIK on retinal nerve fiber layer thickness. 21(3):303-305. [Letter]
- Soriano ES. See Rocha KM.
- Souza CEB. See Rocha KM.
- Sridhar MS. See Singhal S.
- Stachs O, Schneider H, Stave J, Guthoff R. Potentially accommodating intraocular lenses—an in vitro and in vivo study using three-dimensional high-frequency ultrasound. 21(1):37-45.
- Stahl JE. See Ciccio AE.
- Stahl JE. See Durrie DS.
- Stangos NT. See Papadopoulos NT.
- Stave J. See Stachs O.
- Steinert RF. The effects of automated registration on aberration measurement with the LADARWave aberrometer. 21(6):S769-S771.
- Stojanovic A, Suput D. Strategic planning in topography-guided ablation of irregular astigmatism after laser refractive surgery. 21(4):369-376.
- Stulting RD. See Binder PS.
- Sun L, Liu G, Ren Y, Li J, Hao J, Liu X, Zhang Y. Efficacy and safety of LASIK in 10,052 eyes of 5081 myopic Chinese patients. 21(5):S633-S635.
- Suominen S. See Pietilä J.
- Suput D. See Stojanovic A.
- Süveges I. See Resch MD.
- Szentmáry N. See Resch MD.
- Tabbara KF. See Jarade EF.
- Tabbara KF. See Kotb AA.
- Talamo JH. Wavefront customized visual correction: the quest for super vision II. 21(1):97. [Book Review]
- Tanchel N. See Waring GO III.
- Telandro A. Patient satisfaction study after PAC LASIK surgery for presbyopia compensation. 21(5):S666. [Abstract]
- Tepichín E. See Cantú R.
- Tervo TMT. See Lindbohm N.
- Toda I. See Ito M.
- Topa DM. See Neal DR.
- Torres RM, Merayo-Lloves J, Blanco-Mezquita JT, Günther CP, Rodríguez G, Gutiérrez R, Martínez-García C. Experimental model of laser in situ keratomileusis in hens. 21(4):392-398.
- Toshino A. See Nanba A.
- Tsai Y-Y. See Lin J-M.
- Tseng S-H. See Lin J-M.
- Tsilimbaris M. See Kymionis GD.
- Tsintsadze NA. See Dvali ML.
- Tsubota K. See Ito M.
- Tuan KA, Somani S, Chernyak DA. Changes in wavefront aberration with pharmaceutical dilating agents. 21(5):S530-S534.
- Ulusal H. See Erkilic K.
- Uno T. See Nanba A.
- Usui M. See Oh-i K.
- Uusitalo H. See Pietilä J.
- Uusitalo R. See Hellstedt T.
- Vajpayee RB. See Sharma N.
- Vajpayee RB. See Sony P.
- van Rij G. See Budo C.
- Venter J. Wavefront-guided LASIK with the NIDEK NAVEX platform for the correction of myopia and myopic astigmatism with 6-month follow-up. 21(5):S640-S645.
- Vesaluoma MH. See Lindbohm N.
- Vigo L. See Carones F.
- Waheed S, Chalita MR, Xu M, Krueger RR. Flap-induced and laser-induced ocular aberrations in a two-step LASIK procedure. 21(4):346-352.
- Wang I-J. See Lin Y-Y.

- Wang Q. See Chen W.
- Waring GO III. Journal authorship and professional affiliation. 21(2):115. [Editorial]
- Waring GO III, Alió JL. Beauty is truth, truth beauty. 21(1):11-12. [Editorial]
- Waring GO III, Chayet AS, Fant B, Fisher J, Narvaez J, Phillips S, Schanzer C, Tanchel N. Hyperopic LASIK outcomes using the NIDEK EC-5000 excimer laser with a 6.0-mm optical zone and 9.0-mm treatment zone. 21(5):S666-S667. [Abstract]
- Waring GO III. See Schmack I.
- Wee CE. See Shaikh NM.
- Wexler SA. See Polk EE.
- Wilhelm FW. See Hammer T.
- Wilson SE. See Netto MV.
- Wörner I. See Hammer T.
- Wotke M. See Reinstein DZ.
- Wu H. See Binder PS.
- Xiangkun Z. See Dai J.
- Xiaoxiong W. An initial observation of multifocal LASIK to correct presbyopia. 21(5):S667. [Abstract]
- Xiaoying W. See Xingtao Z.
- Xingtao Z, Liangcheng W, Xiaoying W, Zhiqiang Y. The delayed healing of the epithelial flap of painless LASEK/Epi-LASIK. 21(5):S667. [Abstract]
- Xu M. See Waheed S.
- Xuge W. See Dai J.
- Yagmur M, Özcan AA, Sari S, Ersöz TR. Visual acuity and corneal topographic changes related with pterygium surgery. 21(2):166-170.
- Yamaguchi T. See Nanba A.
- Yang W. See Chixin D.
- Ye S. See Chixin D.
- Yishu W. See Dai J.
- Yo C, Ariyasu RG. Racial differences in central corneal thickness and refraction among refractive surgery candidates. 21(2):194-197. [Report]
- Yu S. See He R.
- Zadok D. See Chayet AS.
- Zaldivar R, Oscherow S, Bains HS. Five techniques for improving outcomes of hyperopic LASIK. 21(5):S628-S632.
- Zhang Y. See Sun L.
- Zhiqiang Y. See Xingtao Z.
- Zvi F. See Barbara A.

## TITLE INDEX

- A comparison of higher order aberrations following implantation of four foldable intraocular lens designs. Martin RG, Sanders DR. 21(6):716-721.
- A comparison of induced astigmatism in conventional and wavefront-guided myopic LASIK using LADARVision4000 and VISX S4 platforms. Awwad ST, Halthcock KK, Oral D, Bowman RW, Cavanagh HD, McCulley JP. 21(6):S792-S798.
- A new formula for ablation depth in three-zone laser in situ keratomileusis. Lin JT. 21(4):413-414. [Letter]
- A new night vision disturbances parameter and contrast sensitivity as indicators of success in wavefront-guided enhancement. Reinstein DZ, Archer TJ, Couch D, Schroeder E, Wotke M. 21(5):S535-S540.
- A test eye for wavefront eye refractors. Campbell CE. 21(2):127-140.
- Accommodative compensation of ametropia and optical aberrations in photorefractive surgery. Kornilovsky I, Godzaeva A, Kolesnikov D. 21(5):S664. [Abstract]
- Acinetobacter* and *Staphylococcus aureus* ulcerative keratitis after laser in situ keratomileusis treated with antibiotics and phototherapeutic keratectomy. Lindbohm N, Moilanen JAO, Vesaluoma MH, Tervo TMT. 21(4):404-406. [Report]
- Adaptive optics ophthalmoscopy: results and applications. Pallikaris A. 21(5):S570-S574.
- Alcohol and mechanical scraping for epithelial ingrowth following laser in situ keratomileusis. Lahners WJ, Hardten DR, Lindstrom RL. 21(2):148-151.
- Alcon LADARWave CustomCornea retreatments. Durrie DS, Stahl JE, Schwendeman F. 21(6):S804-S807.
- An initial observation of multifocal LASIK to correct presbyopia. Xiaoxiong W. 21(5):S667. [Abstract]
- Artisan toric phakic intraocular lens for correction of astigmatism. Alió JL, Mulet ME, Gutiérrez R, Galal A. 21(4):324-331.
- Aspheric, topo- and wavefront-based ablations. Kermani O, Oberheide U, Schmiedt K, Gerten G. 21(5):S663. [Abstract]
- Assessing the value of laser in situ keratomileusis by patient-reported outcomes using quality of life assessment. Lee J, Lee J, Park K, Cho W, Kim JY, Kang H-Y. 21(1):59-71.
- Automated lamellar keratoplasty for recurrent granular corneal dystrophy after phototherapeutic keratectomy. Chen W, Qu J, Wang Q, Lu F, Barabino S. 21(3):288-293.
- Axial eye length evaluation before and after myopic photorefractive keratectomy. Rosa N, Capasso L, Lanza M, Romano A. 21(3):281-287.
- Bacterial keratitis after laser subepithelial keratectomy. Lifshitz T, Levy J, Klemperer I. 21(1):94-96. [Letter]
- Beauty is truth, truth beauty. Waring GO III, Alió JL. 21(1):11-12. [Editorial]
- Bilateral giant retinal tear following posterior chamber phakic intraocular lens implantation. Navarro R, Gris O, Broc L, Corcóstegui B. 21(3):298-300. [Report]
- Bilateral peripheral infiltrative keratitis after LASIK. Singhal S, Sridhar MS, Garg P. 21(4):402-404. [Report]
- Biomechanical modeling of corneal ectasia. Dupps WJ Jr. 21(2):186-190. [Special Article]
- Central island treatment using Technolas 217 based on Orbscan II assessment. Cheng ACK, Lam DSC. 21(3):294-296. [Report]
- Changes in wavefront aberration with pharmaceutical dilating agents. Tuan KA, Somani S, Chernyak DA. 21(5):S530-S534.
- Clinical experience with the NIDEK MK-2000 keratome system. Chayet AS. 21(5):S659. [Abstract]
- Clinical outcomes of CATz versus OPDCAT. Pop M, Bains HS. 21(5):S636-S639.
- Clinical outcomes of wavefront-guided LASIK with the NIDEK EC-5000 and OPDCAT: 6-month follow-up. Chayet AS, Retana RM, Morales A, Gama EM, Silva NR. 21(5):S659. [Abstract]
- Cohesive tensile strength of human LASIK wounds with histologic, ultrastructural, and clinical correlations. Schmack I, Dawson DG, McCarey BE, Waring GO III, Grossniklaus HE, Edlhauser HF. 21(5):433-445.
- Combined flap undersurface and bed LASIK for high myopia. Li LW, Mei WQ, Jun FX. 21(5):S606-S609.
- Comparison of ablation centration after bilateral sequential versus simultaneous LASIK. Lin J-M, Tsai Y-Y. 21(6):705-708.
- Comparison of conventional versus wavefront-guided LASIK in the same patient. Chixin D, Ye S, Yang W. 21(5):S660. [Abstract]
- Comparison of different devices for measuring corneal thickness. Mohammadpour M. 21(5):S666. [Abstract]
- Comparison of LASIK outcomes with the Alcon LADARVision4000 and the VISX STAR S2 excimer lasers using optimized nomograms. Gailitis RP. 21(6):683-690.
- Comparison of NIDEK CATz wavefront-guided LASIK to traditional LASIK with the NIDEK CXII excimer laser in myopia. He R, Qu M, Yu S. 21(5):S646-S649.
- Comparison of outcomes between the NIDEK EC-5000, Alcon CustomCornea, and VISX CustomVue excimer laser systems. Dougherty PJ. 21(5):S660-S661. [Abstract]
- Comparison of the Colvard pupillometer and the Zywave for measuring scotopic pupil diameter. Brown SM. 21(1):92. [Letter]
- Comparison of the Colvard pupillometer and the Zywave for measuring scotopic pupil diameter. Cheng ACK, Lam DSC. 21(1):92-93. [Reply to Letter]
- Comparison of the WF, PSF, Strehl ratio, and MTF between 20/20 natural human eyes and artificial optical systems. Cantú R, Tepichín E, Rosales MA. 21(5):S658. [Abstract]
- Comparison of the WF, PSF, Strehl ratio, and MTF between 20/20 untreated, post advanced surface ablation (ASA), and post pseudoaccommodative (presbyopic) advanced surface ablation (PASA) eyes. Cantú R, Rosales MA, Tepichín E. 21(5):S658. [Abstract]
- Comparison of topographic corneal irregularity after LASIK and intrastromal corneal ring segments in the same patients. Naseri A, Forseto AS, Francesconi CM, Hwang DG, Campos M, Nose W. 21(6):722-726.
- Conductive keratoplasty for the correction of residual hyperopia after LASIK. Alió JL, Ramzy MI, Galal A, Claramonte PJ. 21(6):698-704.
- Conventional vs wavefront-guided LASIK using the LADARVision4000 excimer laser. Caster AI, Hoff JL, Ruiz R. 21(6):S786-S791.
- Corneal flap measurements in laser in situ keratomileusis using the Moria M2 automated microkeratome. Pietilä J, Mäkinen P, Suominen S, Huhtala A, Uusitalo H. 21(4):377-385.
- Corneal haze after LASEK and PRK. Kotb AA, Tabbara KF. 21(5):S665. [Abstract]
- Corneal higher order wavefront aberrations after hyperopic laser in situ keratomileusis. Nanba A, Amano S, Oshika T, Uno T, Toshino A, Ohashi Y, Yamaguchi T, Mihashi T. 21(1):46-51.
- Corneal keratocyte apoptosis following topical intraoperative mitomycin C in rabbits. Chang S-W. 21(5):446-453.
- Corneal sensitivity to mechanical and chemical stimulation after LASIK. Bourne WM. 21(6):764. [Letter]
- Corneal sensitivity to mechanical and chemical stimulation after LASIK. Gallar J. 21(6):764. [Reply to Letter]
- Corneal transplantation as a refractive surgical procedure. Price FW Jr. 21(3):216-217. [Guest Editorial]
- Correction of myopia of 7 to 24 diopters with the Artisan phakic intraocular lens: two-year follow-up. Benedetti S, Casamenti V, Marcaccio L, Brogioni C, Assetto V. 21(2):116-126.
- Correction of myopic astigmatism using subjective best spectacle-corrected visual acuity and small optical zone with NAVEX excimer laser system. Scerrati E, Gualdi M. 21(5):S666. [Abstract]
- Deep sclerectomy and advanced glaucoma. Chakib A, Laila B, Sbai D. 21(5):S658-S659. [Abstract]
- Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. Price FW Jr, Price MO. 21(4):339-345.

- Determination of the functional optical zone after keratorefractive surgery. Klyce S. 21(5):S664. [Abstract]
- Diabetic retinopathy: epidemiological study. Chakib A, Dihaj S, Abada A. 21(5):S659. [Abstract]
- Diurnal fluctuation of higher order ocular aberrations: correlation with intraocular pressure and corneal thickness. Cheng ACK, Lam DSC. 21(2):201. [Letter]
- Dynamic visual stimulus presentation in an adaptive optics scanning laser ophthalmoscope. Poonja S, Patel S, Henry L, Roorda A. 21(5):S575-S580.
- Effect of a yellow filter on contrast sensitivity and disability glare after laser in situ keratomileusis under mesopic and photopic conditions. Pérez-Carrasco MJ, Puell MC, Sánchez-Ramos C, López-Castro A, Langa A. 21(2):158-165.
- Effect of NIDEK customized ablation using NAVEX platform. Dai J, Kefeil L, Jingjie W, Xuge W, Iihua C, Yishu W, Fangquan M, Jinsuo X, Xiangkun Z, Qing L. 21(5):S660. [Abstract]
- Effect of optical zone ablation diameter on LASIK-induced higher order optical aberrations. Mok KH, Lee VW-h. 21(2):141-143.
- Effect of refractive and topographic astigmatic axis on LASIK correction of myopic astigmatism. Bragheeth MA, Dua HS. 21(3):269-275.
- Effect of tear film break-up on higher order aberrations of the anterior cornea in normal, dry, and post-LASIK eyes. Lin Y-Y, Carrel H, Wang I-J, Lin P-J, Hu F-R. 21(5):S525-S529.
- Effect of topical vitamin E on ethanol-induced corneal epithelial apoptosis. Bilgihan K, Konuk O, Hondur A, Akyürek N, Özogul C, Hasanreisoglu B. 21(6):761-763. [Report]
- Effects of MMC after photorefractive keratectomy. Chayet AS. 21(5):S659-S660. [Abstract]
- Efficacy and safety of LASIK in 10,052 eyes of 5081 myopic Chinese patients. Sun L, Liu G, Ren Y, Li J, Hao J, Liu X, Zhang Y. 21(5):S633-S635.
- Epiretinal membrane formation in retinitis pigmentosa following laser in situ keratomileusis. Singhvi A, Jhanjhi V, Pal N, Sinha R. 21(3):305-306. [Letter]
- Epithelial ingrowth following LASIK—diagnosis and treatment. Holladay JT. 21(5):S663. [Abstract]
- Errors in Zernike transformations and non-modal reconstruction methods. Neal DR, Baer CD, Topa DM. 21(5):S558-S562.
- Evaluating aberrations induced after refractive surgery must take pupil size into account. Klyce SD. 21(6):764-765. [Letter]
- Evaluating aberrations induced after refractive surgery must take pupil size into account. Mok K-H. 21(6):765. [Reply to Letter]
- Evaluation of four microkeratome models: quality and reproducibility of cut edge and cut surface as determined by scanning electron microscopy. Hammer T, Hanschke R, Wörner I, Wilhelm FW. 21(5):454-462.
- Excimer laser phototherapeutic keratectomy for granular and lattice corneal dystrophy: a comparative study. Das S, Langenbucher A, Seitz B. 21(6):727-731.
- Experimental model of laser in situ keratomileusis in hens. Torres RM, Merayo-Llodes J, Blanco-Mezquita JT, Günther CP, Rodríguez G, Gutiérrez R, Martínez-García C. 21(4):392-398.
- Factors predictive of LASIK flap thickness with the Hansatome zero compression microkeratome. Choudhri SA, Feigenbaum SK, Pepose JS. 21(3):253-259.
- Features of hyperopic LASIK in children. Dvali ML, Tsintsadze NA, Mirtskhulava SI. 21(5):S614-S616.
- First clinical experience with the Alcon LADAR 6000 excimer laser. Carones F, Vigo L, Scandola E. 21(6):S781-S785.
- Five techniques for improving outcomes of hyperopic LASIK. Zaldivar R, Oscherow S, Bains HS. 21(5):S628-S632.
- Flap-induced and laser-induced ocular aberrations in a two-step LASIK procedure. Waheed S, Chalita MR, Xu M, Krueger RR. 21(4):346-352.
- From wavefront device to laser: an alignment method for complete registration of the ablation to the cornea. Chernyak DA. 21(5):463-468.
- Herpes simplex virus keratitis after laser in situ keratomileusis. Levy J, Lapid-Gortzak R, Klemperer I, Lifshitz T. 21(4):400-402. [Report]
- Higher order aberrations after LASIK for myopia with Alcon and WaveLight lasers: a prospective randomized trial. Brint SF. 21(6):S799-S803.
- Hyperopic LASIK outcomes using the NIDEK EC-5000 excimer laser with a 6.0-mm optical zone and 9.0-mm treatment zone. Waring GO III, Chayet AS, Fant B, Fisher J, Narvaez J, Phillips S, Schanzer C, Tanchel N. 21(5):S666-S667. [Abstract]
- Hyperopic enhancement procedure: visual and refractive results 1 year post-enhancement. Galal A, Artola A, Alió J. 21(5):S662. [Abstract]
- Hyperopic laser in situ keratomileusis with 5.5-, 6.5-, and 7.0-mm optical zones. Kermani O, Schmeidt K, Oberheide U, Gerten G. 21(1):52-58.
- Implantation of Artisan toric phakic intraocular lenses for the correction of astigmatism and spherical errors in patients with keratoconus. Budo C, Bartels MC, van Rij G. 21(3):218-222.
- Incidence of bacterial keratitis after photorefractive keratectomy. Leccisotti A, Bartolomei A, Greco G, Manetti C. 21(1):96. [Letter]
- Incidence of complications during flap creation in LASIK using the NIDEK MK-2000 microkeratome in 26,600 cases. Carrillo C, Chayet AS, Dougherty PJ, Montes M, Magallanes R, Najman J, Fleitman J, Morales A. 21(5):S655-S657.
- Incidence of corneal epithelial defects with the standard and zero-compression Hansatome microkeratomes. Polk EE, Wexler SA, Kymes S. 21(4):359-364.
- Indications for excimer laser surface ablation. Netto MV, Wilson SE. 21(6):734-741. [Special Article]
- Influence of LASIK on retinal nerve fiber layer thickness. Sony P, Sihota R, Sharma N, Sharma A, Vajpayee RB. 21(3):303-305. [Letter]
- Influence of exposure time and pupil size on a Shack-Hartmann metric of forward scatter. Donnelly WJ III, Applegate RA. 21(5):S547-S551.
- Intraocular hydrogel lenses and corneal aberrations. Alió JL, Shabayek MH, Montes-Mico R, Múlet ME, Ahmed AG, Merayo J. 21(3):247-252.
- Intraocular lenses for restoring accommodation: hope and reality. Findl O. 21(4):321-323. [Guest Editorial]
- Intraocular pressure measurement after hyperopic and myopic LASIK. Jarade EF, Abi Nader FC, Tabbara KF. 21(4):408-410. [Report]
- Intraocular pressure measurements after conductive keratoplasty. Kymionis GD, Naoumidis TL, Aslanides IM, Kumar V, Astyrakakis NI, Tsilimbaris M, Pallikaris IG. 21(2):171-175.
- Introduction to commercially approved wavefront-guided customization: third year in review. Krueger RR. 21(6):S767-S768.
- Introduction to the 10th NIDEK International Refractive Surgery Symposium: a tale of two cities. Dougherty PJ. 21(5):S593-S594.
- Introduction to the proceedings of the 6th International Congress on Wavefront Sensing and Optimized Refractive Corrections. Applegate RA, Krueger RR, Pesudovs K, Chalita MR. 21(5):S506-S507.
- Involvement of neural adaptation in the recovery of vision after laser refractive surgery. Pesudovs K. 21(2):144-147.
- Journal authorship and professional affiliation. Waring GO III. 21(2):115. [Editorial]
- Keratoconus and corneal ectasia after LASIK. Binder PS, Lindstrom RL, Stulting RD, Donnenfeld E, Wu H, McDonnell P, Rabinowitz Y. 21(6):749-752. [Special Article]
- Keratometry for intraocular lens power calculation using Orbscan II in eyes with laser in situ keratomileusis. Cheng ACK, Lam DSC. 21(4):365-368.
- LASIK enhancement using excimer laser ablation on the back of the flap. Grim M, Sheard J, Martin L. 21(5):S610-S613.
- LASIK flap dislocation by blunt trauma seven weeks after surgery. Oh-i K, Mori H, Kubo M, Muramatsu R, Usui M. 21(1):93-94. [Letter]
- LASIK for high myopic astigmatism resulting from perforating ocular injury. Khoury JM, Haddad WF, Nouredin B. 21(6):756-759. [Report]
- LASIK for myopia with the Zeiss Meditec MEL 80. Goes FJ. 21(6):691-697.
- LASIK in hyperopia and hyperopic astigmatism. Kermani O, Oberheide U, Schmeidt K, Gerten G. 21(5):S663. [Abstract]
- LASIK risk score: an easy method to predict postoperative outcome. Najjar DM. 21(4):399-400. [Report]
- LASIK with an inferior hinge. Cosar CB, Sener AB. 21(2):197-199. [Report]
- Laser in situ keratomileusis for correction of myopia in eyes after retinal detachment surgery. Barquet IS, Levy J, Klemperer I, Hirsh A, Pollack A, Lifshitz T, Levinger S. 21(2):191-193. [Report]
- Laser in situ keratomileusis versus laser subepithelial keratectomy for the correction of low to moderate myopia using the NIDEK EC-5000 excimer laser. Hashemian SJ, Jafari E. 21(5):S662. [Abstract]
- Laser subepithelial keratomileusis vs photorefractive keratectomy in the correction of myopia. Kotb AA, Tabbara KF. 21(5):S665. [Abstract]
- Late bilateral keratectasia after LASIK in a low myopic patient. Lifshitz T, Levy J, Klemperer I, Levinger S. 21(5):494-496. [Report]
- Limitations of correcting spherical aberration with aspheric intraocular lenses. Dietze HH, Cox MJ. 21(5):S541-S546.
- Management of pellucid marginal degeneration with intracorneal ring segments. Barbara A, Shehadeh-Masha'our R, Zvi F, Garzozzi HJ. 21(3):296-298. [Report]
- Measuring quality of vision and contrast sensitivity with the NIDEK OPD-scan. Holladay JT. 21(5):S663. [Abstract]
- Modal reconstruction methods with Zernike polynomials. Schwiegerling J. 21(5):S552-S557.
- Monovision LASIK for pre-presbyopic and presbyopic patients. Cheng ACK, Rao SK, Lam DSC. 21(4):411-412. [Letter]
- Monovision LASIK for pre-presbyopic and presbyopic patients. Goldberg DB. 21(4):411. [Letter]
- Monovision LASIK for pre-presbyopic and presbyopic patients. Krueger RR, Miranda D. 21(4):412. [Reply to Letter]
- Moria M2 single eye microkeratome head in 100 consecutive LASIK procedures. Kanellopoulos AJ, Pe LH, Kleiman L. 21(5):476-479.
- New formulas comparing the accommodation in human lens and intraocular lens. Lin JT. 21(2):200-201. [Letter]
- Non-contact holmium:YAG laser thermal keratoplasty for hyperopia: two-year follow-up. Papadopoulos NT, Balidis M, Brazitikos PD, Androudi S, Fotiadis K, Kalinderis KA, Stangos NT. 21(1):82-86.
- Objective quality of vision in presbyopic and non-presbyopic patients after pseudoaccommodative advanced surface ablation. Cantú R, Rosales MA, Tepichín E, Curioaca A, Montes V, Ramirez-Zavaleta G. 21(5):S603-S605.
- Ocular cyclotorsion during customized laser ablation. Ciccio AE, Durrie DS, Stahl JE, Schwendeman F. 21(6):S772-S774.
- Ocular integrity after anterior ciliary sclerotomy and scleral ablation by the Er:YAG laser. Ito M, Asano-Kato N, Fukagawa K, Arai H, Toda I, Tsubota K. 21(1):77-81.
- Optical quality and depth-of-field of eyes implanted with spherical and aspheric intraocular lenses. Marcos S, Barbero S, Jiménez-Alfaro I. 21(3):223-235.

- Optimized prolate ablations with the NIDEK CXII excimer laser. Holladay JT, Bains HS. 21(5):S595-S597.
- Optimized prolate corneal ablation: case report of the first treated eye. El-Danasoury A, Bains HS. 21(5):S598-S602.
- Optimized vs customized vs conventional LASIK with the NIDEK platform. El-Danasoury A. 21(5):S661. [Abstract]
- Patient satisfaction study after PAC LASIK surgery for presbyopia compensation. Telandro A. 21(5):S666. [Abstract]
- Phaco chop: mastering techniques, optimizing technology, and avoiding complications. Kenyon KR. 21(3):307. [Book Review]
- Phakic intraocular lenses: principles and practice. Miller D. 21(4):415. [Book Review]
- Photorefractive operations in regeneration of disturbance of binocular functions at myopia. Kornilovsky I, Kerminov K, Godzaeva A, Abdullaliev A. 21(5):S665. [Abstract]
- Phototherapeutic LAASEK for a persistent epithelial defect and a recurrent epithelial erosion. Hondur A, Bilgihan K, Hasanreisoglu B. 21(4):406-407. [Report]
- Postoperative wavefront analysis and contrast sensitivity of a multifocal apodized diffractive IOL (ReSTOR) and three monofocal IOLs. Rocha KM, Chalita MR, Souza CEB, Soriano ES, Freitas LL, Muccioli C, Belfort R Jr. 21(6):S808-S812.
- Potentially accommodating intraocular lenses—an in vitro and in vivo study using three-dimensional high-frequency ultrasound. Stachs O, Schneider H, Stave J, Guthoff R. 21(1):37-45.
- Primary glaucoma: epidemiological study. Chakib A, Hajji I, Rekkaa A. 21(5):S659. [Abstract]
- Pupil size in refractive surgery candidates. Brown SM, Bradley JC. 21(3):303. [Letter]
- Racial differences in central corneal thickness and refraction among refractive surgery candidates. Yo C, Ariyasu RG. 21(2):194-197. [Report]
- Rates of epithelial ingrowth after LASIK for different excimer laser systems. Jun RM, Cristol SM, Kim MJ, Seo KY, Kim JB, Kim EK. 21(3):276-280.
- Reactivation of ocular toxoplasmosis after LASIK. Barbara A, Shehadeh-Masha'our R, Sartani G, Garzozzi HJ. 21(6):759-761. [Report]
- Reasons for not performing LASIK in refractive surgery candidates. Sharma N, Singhvi A, Sinha R, Vajpayee RB. 21(5):496-498. [Report]
- Retinal nerve fiber layer changes after LASIK evaluated with optical coherence tomography. Dementyev DD, Kourenkov VV, Rodin AS, Fadeykina TL, Martines TED. 21(5):S623-S627.
- Retinal phlebitis after LASIK. Lin J-M, Tsai Y-Y. 21(5):501-504. [Report]
- Reverse geometry contact lens fitting after corneal refractive surgery. Martin R, Rodriguez G. 21(6):753-756. [Report]
- Roughness of excimer laser ablated corneas with and without smoothing measured with atomic force microscopy. Lombardo M, De Santo MP, Lombardo G, Barberi R, Serrao S. 21(5):469-475.
- Screening patients with the corneal navigator. Klyce SD, Karon MD, Smolek MK. 21(5):S617-S622.
- Severe corneal epithelial sloughing during LASIK as a presenting sign for silent basal membrane dystrophy. Galal A, Santonja JP, Alió J. 21(5):S662. [Abstract]
- Simulation of eye-tracker latency, spot size, and ablation pulse depth on the correction of higher order wavefront aberrations with scanning spot laser systems. Bueeler M, Mrochen M. 21(1):28-36.
- Spatial distribution of keratan sulfate in the rabbit cornea following photorefractive keratectomy. Resch MD, Nagy ZZ, Szentmáry N, Máthé M, Kovalszky I, Süveges I. 21(5):485-493.
- Spontaneous regression of dense epithelial ingrowth after laser in situ keratomileusis. Lin J-M, Tsai Y-Y, Tseng S-H. 21(3):300-302. [Report]
- Strategic planning in topography-guided ablation of irregular astigmatism after laser refractive surgery. Stojanovic A, Suput D. 21(4):369-376.
- Surface roughness after excimer laser ablation using a PMMA model: profilometry and effects on vision. Naroo SA, Charman WN. 21(3):260-268.
- Technological improvements with the Alcon LADAR 6000 excimer laser platform. Krueger RR. 21(6):S775-S780.
- The delayed healing of the epithelial flap of painless LAASEK/Epi-LASIK. Xingtao Z, Liangcheng W, Xiaoying W, Zhiqiang Y. 21(5):S667. [Abstract]
- The effect of corneal flap on optical aberrations. Chayet AS, Carrillo C, Missiroli F, Litwak S, Robeldo N, Zadok D. 21(5):S660. [Abstract]
- The effect of lubricant eye drops on ocular wavefront aberrations. Airiani S, Rozell J, Lee SM, Braunstein RE. 21(6):709-715.
- The effect of tear film on higher order corrections applied to the corneal surface during wavefront-guided refractive surgery. Campbell C. 21(5):S519-S524.
- The effects of automated registration on aberration measurement with the LADARWave aberrometer. Steinert RF. 21(6):S769-S771.
- The evaluation of the flap thickness in LASIK cases performed using the NIDEK MK-2000 microkeratome. Erkilic K, Ulusal H, Köse O. 21(5):S661. [Abstract]
- The roles of corneal power and anterior chamber depth on the accommodation in aphakic intraocular lenses. Lin JT. 21(6):765-766. [Letter]
- The safety and efficacy of photorefractive keratectomy after laser in situ keratomileusis. Shaikh NM, Wee CE, Kaufman SC. 21(4):353-358.
- The theoretical vs. measured laser resection for laser in situ keratomileusis. Flanagan GW, Binder PS. 21(1):18-27.
- The thin-flap LASIK technique. Dougherty PJ. 21(5):S650-S654.
- Theoretical effect of changes in entrance pupil magnification on wavefront-guided laser refractive corneal surgery. Charman WN, Atchison DA. 21(4):386-391.
- Theoretical elastic response of the cornea to refractive surgery: risk factors for keratectasia. Guirao A. 21(2):176-185. [Special Article]
- Topography-guided custom retreatments in 27 symptomatic eyes. Kanellopoulos AJ. 21(5):S513-S518.
- Treating keratoconus with Intacs corneal ring segments. Hellstedt T, Mäkelä J, Uusitalo R, Emre S, Uusitalo R. 21(3):236-246.
- Triptans and the incidence of epithelial defects during laser in situ keratomileusis. Hardten DR, Hira NK, Lombardo AJ. 21(1):72-76.
- Two cases of pneumococcal keratitis following myopic LASIK. Lifshitz T, Levy J, Raiskup F, Klemperer I, Frucht-Pery J. 21(5):498-501. [Report]
- US trends in refractive surgery: 2003 ISRS/AAO survey. Duffey RJ, Leaming D. 21(1):87-91. [Special Article]
- US trends in refractive surgery: 2004 ISRS/AAO survey. Duffey RJ, Leaming D. 21(6):742-748. [Special Article]
- Use of polymyxin as an endotoxin blocker in the prevention of diffuse lamellar keratitis in an animal model. Morck DW, Holland SP, Ceri H, Hancock R, Scott-Gough M, Nguyen V, Keith EJ, Lee TL. 21(2):152-157.
- VHF digital ultrasound three-dimensional scanning in the diagnosis of myopic regression after corneal refractive surgery. Reinstein DZ, Ameline B, Puech M, Montefiore C, Laroche L. 21(5):480-484.
- Visual acuity and corneal topographic changes related with pterygium surgery. Yagmur M, Özcan AA, Sari S, Ersöz TR. 21(2):166-170.
- Wavefront aberration outcomes of LASIK for high myopia and high hyperopia. Pesudovs K. 21(5):S508-S512.
- Wavefront analysis in normal refractive surgery candidates. Netto MV, Ambrósio R Jr, Shen TT, Wilson SE. 21(4):332-338.
- Wavefront customized visual correction: the quest for super vision II. Talamo JH. 21(1):97. [Book Review]
- Wavefront for dummies. Klyce S. 21(5):S664. [Abstract]
- Wavefront-guided LASIK with the NIDEK NAVEX platform for the correction of myopia and myopic astigmatism with 6-month follow-up. Venter J. 21(5):S640-S645.
- Wavefront-guided versus conventional LASIK for low to moderate myopia. Farooqui M, Al-Moamar AR. 21(5):S661. [Abstract]
- Zernike vs Fourier analysis for guiding individualized laser sculpting. Klyce S. 21(5):S664. [Abstract]
- Zonal matrix iterative method for wavefront reconstruction from gradient measurements. Panagopoulou SI, Neal DR. 21(5):S563-S569.
- Zonular dehiscence two years after phakic refractive lens (PRL) implantation. Hoyos JE, Cigales M, Hoyos-Chacón J. 21(1):13-17.