

AUTHOR INDEX

- Abad JC. Idiopathic ectasia after LASIK. 22(3):230. [Letter]
- Acar S. See Cosar CB.
- Acosta AC. See Espana EM.
- Agarwal T. See Sharma N.
- Akova YA. See Altan-Yaycioglu R.
- Al-Attar M. See O'Brart DPS.
- Al-Motowa S. See Diab F.
- Al-Muammar AR. See Farooqui MA.
- Al-Rajhi AA. See Al-Swailem SA.
- Al-Rashaed S. See Diab F.
- Al-Swailem SA, Al-Rajhi AA. Decentration and cataract formation 10 years following posterior chamber silicone phakic intraocular lens implantation. 22(5):513-515. [Report]
- Albarrán-Diego C, Muñoz G, Montes-Micó R, Rodríguez A, Alió JL. Corneal aberration changes after hyperopic LASIK: a comparison between the VISX Star S2 and the Asclepion-Meditec MEL 70 G Scan excimer lasers. 22(1):34-42.
- Alió J, Galal A, Ayala MJ, Artola A. Hyperopic LASIK with Esiris/Schwind technology. 22(8):772-781.
- Alió J. See Galal A.
- Alió JL, Chaubard JJ, Caliz A, Sala E, Patel S. Correction of presbyopia by Technovision central multifocal LASIK (PresbyLASIK). 22(5):453-460.
- Alió JL, Galal A, Artola A, Ayala MJ, Merayo J. Hyperopic LASIK retreatments with the Technolas laser. 22(6):596-603.
- Alió JL, Shabayek MH. Hyperopic LASIK following intracorneal hydrogel lens explantation. 22(2):205-207. [Report]
- Alió JL, Shabayek MH. Intracorneal asymmetrical rings for keratoconus: where should the thicker segment be implanted? 22(3):307-309. [Report]
- Alió JL, Shabayek MH. Corneal higher order aberrations: a method to grade keratoconus. 22(6):539-545.
- Alió JL. See Albarrán-Diego C.
- Alió JL. See Artola A.
- Alió JL. See Javaloy J.
- Alió JL. See Montés-Micó R.
- Alió JL. See Ruiz-Moreno JM.
- Alpins N. Terms used for the analysis of astigmatism. 22(6):528. [Letter]
- Altan-Yaycioglu R, Akova YA, Gur S, Veziroglu U. Repeat LASIK after penetrating keratoplasty for repair of a corneal perforation from previous LASIK. 22(4):331-332. [Letter]
- Alvarenga L. See Nakano EM.
- Amano S. See Hamada N.
- Amini A. See Faghihi H.
- Anera RG. See Jimenez JR.
- Angunawela R. See O'Brart DPS.
- Applegate RA, Krueger RR, Pesudovs K. Introduction to the Proceedings of the 7th International Congress of Wavefront Sensing and Optimized Refractive Corrections. 22(9):915-916.
- Applegate RA. See Sarver EJ.
- Archer TJ. See Reinstein DZ.
- Argento C, Cosentino MJ, Ganly M. Comparison of laser epithelial keratomileusis with and without the use of mitomycin C. 22(8):782-786.
- Arines J. See Rodríguez P.
- Artola A, Galal A, Belda JL, Pérez-Santonja JJ, Rodríguez-Prats JL, Ruiz-Moreno JM, Alió JL. LASIK in myopic patients with dermatological keloids. 22(5):505-508.
- Artola A. See Alió J.
- Artola A. See Alió JL.
- Artola A. See Galal A.
- Asano-Kato N. See Hori-Komai Y.
- Asano-Kato N. See Noda-Tsuruya T.
- Asbell P. See Burakgazi AZ.
- Asbell PA. See Schwartz AP.
- Aslanides IM, Plainis S, Kumar V, Ginis H. Phacoemulsification and implantation of an accommodating IOL after PRK. 22(1):106-108. [Report]
- Aslanides IM, Tsiklis NS, Ozkicic E, Coskunseven E, Pallikaris IG, Jankov MR. The effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients. 22(6):585-588.
- Aslanides IM. See Jankov MR II.
- Aspiotis M, Asproudis I, Stefanidou M, Gorezis S, Psilas K. Artisan aphakic intraocular lens implantation in cases of subluxated crystalline lenses due to Marfan syndrome. 22(1):99-101. [Report]
- Asproudis I. See Aspiotis M.
- Auffarth GU. See Holzer MP.
- Avogaro A. See Midena E.
- Ayala MJ. See Alió J.
- Ayala MJ. See Alió JL.
- Bababayan A. See Burakgazi AZ.
- Babayan A. See Schwartz AP.
- Bahar I, Levinger S, Kremer I. Wavefront-supported photorefractive keratectomy with the Bausch & Lomb Zyoptix in patients with myopic astigmatism and suspected keratoconus. 22(6):533-538.
- Bains H. See Nakano EM.
- Balasubramanya R, Garg P, Sharma S, Vemuganti GK. *Acanthamoeba* keratitis after LASIK. 22(6):616-617. [Report]
- Balasubramanya R. See Sharma N.
- Balestrazzi E. See Spadea L.
- Balestrazzi E. See Valente P.
- Bará S. See Rodríguez P.
- Barreto J Jr, Netto MV, Cigna A, Bechara S, Kara-José N. Precision of higher order aberration repeatability with NIDEK OPD-Scan retinoscopic aberrometry. 22(9):S1037-S1040.
- Bartels M. See van Rij G.
- Bassein L. See Mularoni A.
- Bayraktar S. See Utine CA.
- Bechara S. See Barreto J Jr.
- Beck R. See Stachs O.
- Belda J. See Galal A.
- Belda JL. See Artola A.
- Belfort R Jr. See Souza CE.
- Belin MW. See Khachikian SS.
- Belmont SC, Chen S, Ruffy R, Chai SJ, Silverman R, Coleman DJ. Very high-frequency ultrasound analysis of non-contact Holmium laser thermal keratoplasty treatment spots. 22(4):376-386.
- Beverage JL, Schwiegerling J. A Shack-Hartmann-based autorefractor. 22(9):932-937.
- Bia F. See Ramos-Esteban JC.

2006 Index

- Boehm AG. See Kohlhaas M.
- Bolz M. See Kriechbaum K.
- Bootsma SJ, Tahzib NG, Eggink FAGJ, de Brabander J, Nuijts RMMA. Evaluation of pupil dynamics after implantation of Artisan phakic intraocular lenses. 22(4):367-371.
- Boxer Wachler BS. See Chan CCK.
- Boxer Wachler BS. See Hiatt JA.
- Bozkir N. See Yilmaz S.
- Brilakis HS, Holland EJ. Anterior stromal puncture in the treatment of loose epithelium after LASIK. 22(1):103-105. [Report]
- Brugin E. See Midena E.
- Bueeler M. See Jankov MR II.
- Bühren J, Kohnen T. A standardized drawing scheme to document corneal changes following refractive corneal surgery. 22(2):166-171.
- Bui V. See Esquenazi S.
- Burakgazi AZ, Tinio B, Bababyan A, Nicksarley K, Asbell P. Higher order aberrations in normal eyes measured with three different aberrometers. 22(9):898-903.
- Buzzonetti L. See Valente P.
- Caliz A. See Alió JL.
- Calossi A, Camellin M. IOL power calculation after corneal refractive surgery. 22(8):735-736. [Reply to Letter]
- Calossi A. See Camellin M.
- Camellin M, Calossi A. A new formula for intraocular lens power calculation after refractive corneal surgery. 22(2):187-199.
- Camellin M. See Calossi A.
- Campos MS. See de Oliveira GC.
- Capasso L. See Rosa N.
- Carones R, Vigo L, Scandola E. Wavefront-guided treatment of symptomatic eyes using the LADAR6000 excimer laser. 22(9):S983-S989.
- Carvalho LA, Castro J, Chamon W, Schor P. A new wavefront sensor with polar symmetry: quantitative comparisons with a Shack-Hartmann wavefront sensor. 22(9):954-958.
- Castro J. See Carvalho LA.
- Cervino A, Hosking SL, Rai GK, Naroo SA, Gilmartin B. Wavefront analyzers induce instrument myopia. 22(8):795-803.
- Cetin E, Ozbek Z, Saatci AO, Durak I. The effect of scleral buckling surgery on corneal astigmatism, corneal thickness, and anterior chamber depth. 22(5):494-499.
- Chai SJ. See Belmont SC.
- Chalita MR. See Souza CE.
- Chamon W. See Carvalho LA.
- Chan CCK, Boxer Wachler BS. Centration analysis of ablation over the coaxial corneal light reflex for hyperopic LASIK. 22(5):467-471.
- Chan WK. See Wei RH.
- Chandhrasri S, Knorz MC. Comparison of higher order aberrations and contrast sensitivity after LASIK, Verisyse phakic IOL, and Array multifocal IOL. 22(3):231-236.
- Chaubard JJ. See Alió JL.
- Chen C. See Dai J.
- Chen C. See Long Q.
- Chen K-H. See Lu C-K.
- Chen S. See Belmont SC.
- Cheng ACK, Lam DSC. Error analysis of intraocular lens power in eyes after LASIK. 22(2):128. [Reply to Letter]
- Cheng ACK, Rao SK, Leung GYS, Young AL, Lam DSC. Late traumatic flap dislocations after LASIK. 22(5):500-504.
- Cheng ACK, Rao SK, Tang E, Lam DSC. Pachymetry assessment with Orbscan II in postoperative patients with myopic LASIK. 22(4):363-366.
- Cheng L. See Somani S.
- Cheung LM, Papalkar D, Versace P. Traumatic late flap dehiscence and *enterobacter* keratitis following LASIK. 22(4):402-404. [Report]
- Choe CM. See Lee HK.
- Choudhury M. See Padmanabhan P.
- Chowdhry M. See Padmanabhan P.
- Chu R. See Dai J.
- Chu R. See Long Q.
- Chung JK, Lee JB, Lee SJ. Artisan phakic intraocular lens implantation after retinal detachment surgery. 22(8):820-823. [Report]
- Cigna A. See Barreto J Jr.
- Ciola FB. See de Oliveira GC.
- Claramonte P. See Galal A.
- Coleman DJ. See Belmont SC.
- Coleman DJ. See Reinstein DZ.
- Condon PI. See O'Connor J.
- Conway J. See Kanellopoulos AJ.
- Cosar CB, Acar S. Topography-guided LASIK with the WaveLight laser after penetrating keratoplasty. 22(7):716-719. [Report]
- Cosentino MJ. See Argento C.
- Coskunseven E. See Aslanides IM.
- Coster DJ. See Pesudovs K.
- Couch D. See Reinstein DZ.
- Cox I. See Wang J.
- Crandall AS. See Jin GJC.
- Cumming JS. Performance of the Crystalens. 22(7):633-634. [Letter]
- D'Alessandri L. See Spadea L.
- Dai G. Comparison of wavefront reconstructions with Zernike polynomials and Fourier transforms. 22(9):943-948.
- Dai J, Chu R, Zhou X, Chen C, Qu X, Wang X. One-year outcomes of epi-LASIK for myopia. 22(6):589-595.
- Dai J. See Long Q.
- de Brabander J. See Bootsma SJ.
- De Grazia L. See Roszkowska AM.
- de la Vega C. See Ruiz-Moreno JM.
- de Oliveira GC, Solari HP, Ciola FB, Lima ALH, Campos MS. Corneal infiltrates after excimer laser photorefractive keratectomy and LASIK. 22(2):159-165.
- de Rojas Silva MV, Díez-Feijóo E, Javaloy J, Sánchez-Salorio M. Prophylactic perioperative antiviral therapy for LASIK in patients with inactive herpetic keratitis. 22(4):404-406. [Report]
- Deenadayalu C, Mobasher B, Rajan SD, Hall GW. Refractive change induced by the LASIK flap in a biomechanical finite element model. 22(3):286-292.
- Diab F, Al-Rashaed S, Al-Motowa S. Endophthalmitis after Artisan phakic intraocular lens implantation for correction of high myopia. 22(4):332-333. [Letter]
- Diakonis VF. See Kymionis GD.
- Dick HB. See Tehrani M.
- Dickmann A. See Valente P.
- Díez-Feijóo E. See de Rojas Silva MV.
- Djotyan GP. See Fernández DC.
- Dogru M. See Kaido M.

- Dougherty P. Introduction to advanced diagnostics and techniques in refractive surgery. 22(9):S1012-S1013. [Guest Editorial]
- Dougherty PJ. See Du C.
- Dougherty PJ. See Yang Y.
- Drexler W. See Kriechbaum K
- Drum B. See Eydelman MB.
- Du C, Yang Y, Shen Y, Wang Y, Dougherty PJ. Bilateral comparison of conventional versus topographic-guided customized ablation for myopic LASIK with the NIDEK EC-5000. 22(7):642-646.
- Du C. See Yang Y.
- Du TT. See Latkany R.
- Durak I. See Cetin E.
- Durrie D. See Eydelman MB.
- Durrie DS. See Subbaram MV.
- Eggink FAGJ. See Bootsma SJ.
- Elliott DB. See Pesudovs K.
- Erdem U, Muftuoglu O. Optical factors in increased best spectacle-corrected visual acuity after LASIK. 22(9):S1056-S1068.
- Eren H. See Utine CA.
- Esfahani MR. See Faghihi H.
- Esmail F. See Schwartz AP.
- Espana EM, Acosta AC, Nose I, Orozco M, Fantes F, Yoo SH, Parel J-M. Validation of the Barraquer tonometer for high intraocular pressure estimation. 22(6):580-584.
- Esquenazi S, Bui V. Long-term refractive results of myopic LASIK complicated with intraoperative epithelial defects. 22(1):54-60.
- Eydelman MB, Drum B, Holladay J, Hilmantel G, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. Standardized analyses of correction of astigmatism by laser systems that reshape the cornea. 22(1):81-95.
- Eydelman MB, Drum B, Holladay J, Hilmantel G, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. Standardized analyses of correction of astigmatism. 22(7):638. [Reply to Letter]
- Eydelman MB, Drum B, Hilmantel G, Holladay J, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. Terms used for the analysis of astigmatism. 22(6):528-529. [Reply to Letter]
- Faghihi H, Jalali KH, Amini A, Hashemi H, Fotouhi A, Esfahani MR. Rhegmatogenous retinal detachment after LASIK for myopia. 22(5):448-452.
- Fam HB. See Lim KL.
- Fang P-C. See Kuo C-L.
- Fantes F. See Espana EM.
- Farooqui MA, Al-Muammar AR. Topography-guided CATz versus conventional LASIK for myopia with the NIDEK EC-5000: a bilateral eye study. 22(8):741-745.
- Febbraro JL. See Khan HN.
- Fen Y. See He R.
- Ferincz I. See Gallyas E.
- Fernández DC, Niazzy AM, Kurtz RM, Djotyan GP, Juhasz T. Biomechanical model of corneal transplantation. 22(3):293-302.
- Ferreri G. See Roszkowska AM.
- Ferreri P. See Roszkowska AM.
- Figueiredo FC. See Pesudovs K.
- Findl O. See Kriechbaum K.
- Fotouhi A. See Faghihi H.
- Freitas LL. See Souza CE.
- Frucht-Pery J. See Landau D.
- Frueh BE. See Katsoulis K.
- Galal A, Artola A, Belda J, Rodriguez-Prats J, Claramonte P, Sánchez A, Ruiz-Moreno O, Merayo J, Alió J. Interface corneal edema secondary to steroid-induced elevation of intraocular pressure simulating diffuse lamellar keratitis. 22(5):441-447.
- Galal A. See Alió J.
- Galal A. See Alió JL.
- Galal A. See Artola A.
- Gallyas E, Hidasi V, Ferincz I, Kolozsvari L. Photorefractive keratectomy in megalophthalmos anterior. 22(4):408-411. [Report]
- Ganly M. See Argento C.
- Garamendi E. See Pesudovs K.
- Gardner J. See Talamo JH.
- Garg P. See Balasubramanya R.
- Gatinel D, Hoang-Xuan T. Measurement of combined corneal, internal, and total ocular optical quality analysis in anterior segment pathology with the OPD-Scan and OPD-Station. 22(9):S1014-S1020.
- Gerente VM. See Souza CE.
- Gerten G. See Kermani O.
- Ghirlando A. See Midena E.
- Gilmartin B. See Cervino A.
- Ginis H. See Aslanides IM.
- Ginis H. See Kymionis GD.
- Goebels S. See Holzer MP.
- Gorezis S. See Aspiotis M.
- Goto E. See Kaido M.
- Grant CN. See Hiatt JA.
- Gross E. See Somani S.
- Gupta PC. See Netto MV.
- Gur S. See Altan-Yaycioglu R.
- Guthoff R. See Stachs O.
- Gutiérrez R. See Jiménez JR.
- Haigis W. See Much MM.
- Hajitanasis GC. See Jankov MR II.
- Hakin KN. See Nguyen DQ.
- Hall GW. See Deenadayalu C.
- Hamada N, Kaiya T, Oshika T, Kato S, Tomita G, Yamagami S, Amano S. Optic disc and retinal nerve fiber layer analysis with scanning laser tomography after LASIK. 22(4):372-375.
- Han ES, Lee JH. Intraocular lens power calculation in high myopic eyes with previous radial keratotomy. 22(7):713-716. [Report]
- Haque S, Simpson T, Jones L. Corneal and epithelial thickness in keratoconus: a comparison of ultrasonic pachymetry, Orbscan II, and optical coherence tomography. 22(5):486-493.
- Harvey TM. Small incision insertion of posterior lamellar button. 22(5):429. [Letter]
- Hashemi H. See Faghihi H.
- He F. See Yang Y.
- He J. See Wang Y.
- He R, Qu M, Fen Y, Yu S. Improvement of best spectacle-corrected visual acuity after LASIK in highly myopic eyes with reduced preoperative best spectacle-corrected visual acuity. 22(9):S1053-S1055.
- Hernández-Quintela E. See Ramírez M.
- Hiatt JA, Grant CN, Boxer Wachler BS. Complex wavefront-guided retreatments with the Alcon CustomCornea platform after prior LASIK. 22(1):48-53.
- Hidasi V. See Gallyas E.

2006 Index

- Hilmantel G. See Eydelman MB.
- Hoang-Xuan T. See Gatinel D.
- Holladay J. See Eydelman MB.
- Holland EJ. See Brilakis HS.
- Holzer MP, Goebels S, Auffarth GU. Precision of NIDEK OPD-Scan measurements. 22(9):S1021-S1023.
- Holzer MP, Sassenroth M, Auffarth GU. Reliability of corneal and total wavefront aberration measurements with the SCHWIND corneal and ocular wavefront analyzers. 22(9):917-920.
- Hori-Komai Y, Toda I, Asano-Kato N, Ito M, Yamamoto T, Tsubota K. Comparison of LASIK using the NIDEK EC-5000 optimized aspheric transition zone (OATz) and conventional ablation profile. 22(6):546-555.
- Hori-Komai Y. See Toda I.
- Hori-Komai Y. See Tsuji K.
- Hosking SL. See Cervino A.
- Hsu W-M. See Lu C-K.
- Huhtala A. See Pietila J.
- Hussein B. See O'Brart DPS.
- Ignacio TS. See Rabinowitz YS.
- Ioannidis A, Nartey I, Little BC. Traumatic dislocation and successful re-enclavation of an Artisan phakic IOL with analysis of the endothelium. 22(1):102-103. [Report]
- Iseli HP. See Jankov MR II.
- Ismail MM. LASIK using the NIDEK EC-5000 for the correction of hyperopic astigmatism. 22(9):S1069-S1072.
- Ito M. See Hori-Komai Y.
- Ito M. Update of presbyopia treatment by scleral ablation using Er:YAG and UV lasers. 22(1):17. [Reply to Letter]
- J R. See Padmanabhan P.
- Jalali KH. See Faghihi H.
- Jankov MR II, Iseli HP, Bueeler M, Schor P, Seiler T, Mrochen M. The effect of phenylephrine and cyclopentolate on objective wavefront measurements. 22(5):472-481.
- Jankov MR II, Panagopoulou SI, Tsiklis NS, Hajitanasis GC, Aslanides IM, Pallikaris IG. Topography-guided treatment of irregular astigmatism with the WaveLight excimer laser. 22(4):335-344.
- Jankov MR. See Aslanides IM.
- Jarade EF, Nadar FCA, Tabbara KF. Intraocular lens power calculation following LASIK: determination of the new effective index of refraction. 22(1):75-80.
- Javadi MA, Mohammadpour M, Rabei HM. Keratectasia after LASIK but not after PRK in one patient. 22(8):817-820. [Report]
- Javaloy J. See de Rojas Silva MV.
- Javaloy J, Vidal MT, Ruiz-Moreno JM, Alió JL. Confocal microscopy of disposable and nondisposable heads for the Moria M2 microkeratome. 22(1):28-33.
- Jayasree R. See Padmanabhan P.
- Jiang Y, Le Q, Yang J, Lu Y. Changes in corneal astigmatism and high order aberrations after clear corneal tunnel phacoemulsification guided by corneal topography. 22(9):S1083-S1088.
- Jiménez del Barco L. See Jiménez JR.
- Jiménez JR, Villa C, Anera RG, Gutiérrez R, Jiménez del Barco L. Binocular visual performance after LASIK. 22(7):679-688.
- Jin GJC, Crandall AS, Jin Y. Analysis of intraocular lens power calculation for eyes with previous myopic LASIK. 22(4):387-395.
- Jin GJC, Crandall AS, Jin Y. Intraocular lens power calculation for eyes with previous myopic LASIK. 22(9):847-848. [Reply to Letter]
- Jin GJC, Merkley KH. Laceration and partial dislocation of LASIK flaps 7 and 4 years postoperatively with 20/20 visual acuity after repair. 22(9):904-905. [Report]
- Jin Y. See Wang Y.
- Jin Y. See Jin GJC.
- Jones L. See Haque S.
- Jongsareejit A. Clinical results with the Medennium phakic refractive lens for the correction of high myopia. 22(9):890-897.
- Juhasz T. See Fernández DC.
- Kaido M, Dogru M, Goto E, Shimazaki J, Tsubota K. Fourier analysis of single running suture adjustment in penetrating and deep lamellar keratoplasty. 22(6):617-620. [Report]
- Kaiya T. See Hamada N.
- Kakaria SK, Kornstein HS. Visual acuities and manifest refractions prior to LASIK retreatments. 22(2):200-202. [Report]
- Kalyvianaki MI. See Katsanevaki VJ.
- Kanellopoulos AJ, Conway J, Pe LH. LASIK for hyperopia with the WaveLight excimer laser. 22(1):43-47.
- Kanellopoulos AJ, Pe LH. Wavefront-guided enhancements using the Wavelight excimer laser in symptomatic eyes previously treated with LASIK. 22(4):345-349.
- Kara-Jose N. See Barreto J Jr.
- Karabela Y. See Koçak I.
- Karaman M. See Koçak I.
- Kato S. See Hamada N.
- Kato-Asano N. See Toda I.
- Katsanevaki VJ, Naoumidi II, Kalyvianaki MI, Pallikaris IG. EpilASIK: histological findings of separated epithelial sheets 24 hours after treatment. 22(2):151-154.
- Katsoulis K, Sarra G-M, Schittny JC, Frueh BE. Bilateral central crystalline corneal deposits four years after Intacs for myopia. 22(9):910-913. [Report]
- Kaya F. See Koçak I.
- Kaya V. See Utine CA.
- Kaye GB. See Khan HN.
- Kermani O, Schmiedt K, Oberheide U, Gerten G. Topographic- and wavefront-guided customized ablations with the NIDEK-EC5000CXII in LASIK for myopia. 22(8):754-763.
- Kermani O. Automated visual axis alignment for refractive excimer laser ablation. 22(9):S1089-S1092.
- Kevser MA. See Utine CA.
- Kezirian G. See Eydelman MB.
- Khachikian SS, Morason RT, Belin MW, Mishra G. Thin head and single use microkeratomes reduce epithelial defects during LASIK. 22(5):482-485.
- Khan HN, Kaye GB, Febbraro JL. Correction of high astigmatism: case studies using the mixed-cylinder approach. 22(9):S1073-S1078.
- Kim EK. See Lee HK.
- Kim EK. See Lee JH.
- Kim M. See Lee JH.
- Knorz MC. See Chandhrasri S.
- Koçak I, Karabela Y, Karaman M, Kaya F. Late onset diffuse lamellar keratitis as a result of the toxic effect of *Ecballium elaterium* herb. 22(8):826-827. [Report]
- Kohlhaas M, Spoerl E, Boehm AG, Pollack K. A correction formula for the real intraocular pressure after LASIK for the correction of myopic astigmatism. 22(3):263-267.
- Kohnen T. See Bühren J.

- Kolozsvari L. See Gallyas E.
- Kornstein HS. See Kakaria SK.
- Kremer I. See Bahar I.
- Kriechbaum K, Leydolt C, Findl O, Bolz M, Drexler W. Comparison of partial coherence interferometers: ACMaster versus laboratory prototype. 22(8):811-816.
- Krueger RR. Corneal topography vs ocular wavefront sensing in the retreatment of highly aberrated post surgical eyes. 22(4):328-330. [Guest Editorial]
- Krueger RR. Introduction to commercially approved wavefront-guided customization: fourth year in review. 22(9):S959-S960.
- Krueger RR. See Applegate RA.
- Krueger RR. See Lewis CD.
- Kucuksumer Y. See Utine CA.
- Kumar V. See Aslanides IM.
- Kuo C-L, Lin H-F, Fang P-C, Kuo H-K, Ma DH-K. Late onset lamellar keratitis and epithelial ingrowth following orbital cellulitis. 22(2):202-204. [Report]
- Kuo H-K. See Kuo C-L.
- Kurtz RM. See Fernández DC.
- Kymionis GD, Tsiklis NS, Ginis H, Diakonis VF, Pallikaris I. Dry eye after photorefractive keratectomy with adjuvant mitomycin C. 22(5):511-513. [Report]
- Kymionis GD. Late bilateral keratectasia after LASIK in a low myopia patient. 22(5):429-430. [Letter]
- Laffi GL. See Mularoni A
- Lai J-Y. See Lu C-K.
- Lam DSC. See Cheng ACK.
- Lam DSC. See Long Q.
- Landa E. See Rehany U.
- Landau D, Levy J, Solomon A, Lifshitz T, Orucov F, Strassman E, Frucht-Pery J. Traumatic corneal flap dislocation one to six years after LASIK in nine eyes with a favorable outcome. 22(9):884-889.
- Langenbacher A. See Szentmáry N.
- Lanza M. See Rosa N.
- Latkany R, Du TT. Photorefractive keratectomy performed on a patient with nickel allergy using only plastic instruments. 22(2):128-129. [Letter]
- Lawless MA, Potvin RJ. Fulfilling the promise of laser refractive surgery. 22(9):S965-S968.
- Le Q. See Jiang Y.
- Lee HK, Choe CM, Ma KT, Kim EK. Measurement of contrast sensitivity and glare under mesopic and photopic conditions following wavefront-guided and conventional LASIK surgery. 22(7):647-655.
- Lee JB. See Chung JK.
- Lee JH, Kim M, Kim EK. Use of peripheral chatter lines for free-flap alignment during LASIK. 22(7):721-723.
- Lee JH. See Han ES.
- Lee S-M. See Lu C-K.
- Lee SJ. See Chung JK.
- Lee VW. The LADAR6000: results in highly myopic and highly astigmatic eyes. 22(9):S980-S982.
- Lenton L. Standardized analyses of correction of astigmatism. 22(7):636-638. [Letter]
- Leung GYS. See Cheng ACK.
- Levinger S. See Bahar I.
- Levy J. See Landau D.
- Levy J. See Lifshitz T.
- Lewis CD, Krueger RR. Reproducibility of wavefront measurements using the LADARWave aberrometer. 22(9):S973-S979.
- Leydolt C. See Kriechbaum K.
- Li X. See Rabinowitz YS.
- Li Y-S. See Lu C-K.
- Lifshitz T, Levy J. Idiopathic ectasia after LASIK. 22(3):230. [Reply to Letter]
- Lifshitz T, Levy J. Late bilateral keratectasia after LASIK in a low myopic patient. 22(4):331. [Reply to Letter]
- Lifshitz T, Levy J. Late bilateral keratectasia after LASIK in a low myopia patient. 22(5):430. [Reply to Letter]
- Lifshitz T. See Landau D.
- Lim KL, Fam HB. NeuroVision treatment for low myopia following LASIK regression. 22(4):406-408. [Report]
- Lim L. See Wei RH.
- Lima ALH. See de Oliveira GC.
- Lin H-F. See Kuo C-L.
- Lin JT. A new analysis for laser thermal keratoplasty using a focused laser. 22(3):228-229. [Letter]
- Lin JT. Bifocal profiles and strategies of presbyLASIK for pseudoaccommodation. 22(8):736-738. [Letter]
- Lin JT. Error analysis of intraocular lens power in eyes after LASIK. 22(2):127-128. [Letter]
- Lin JT. Prediction and control of corneal asphericity after refractive surgery. 22(9):848-849. [Letter]
- Lin JT. Unified formulas for phakic/aphakic intraocular lens and spectacle/cornea power conversion. 22(7):639-640. [Letter]
- Lin JT. Update of presbyopia treatment by scleral ablation using Er:YAG and UV lasers. 22(1):16-17. [Letter]
- Little BC. See Ioannidis A.
- Liuxueying Z. See Ying L.
- Lombardo G. See Lombardo M.
- Lombardo M, Lombardo G, Manzulli M, Palombi M, Serrao S. Relative contribution of central and peripheral aberrations to overall high order corneal wavefront aberration. 22(7):656-664.
- Lombardo M, Lombardo G, Manzulli M, Serrao S. Response of the cornea for up to four years after photorefractive keratectomy for myopia. 22(2):178-186.
- Long Q, Chu R, Zhou X, Dai J, Chen C, Rao SK, Lam DSC. Correlation between TGF- β 1 in tears and corneal haze following LASEK and epi-LASIK. 22(7):708-712.
- Lu C-K, Chen K-H, Lee S-M, Hsu W-M, Lai J-Y, Li Y-S. Herpes simplex keratitis following excimer laser application. 22(5):509-511. [Report]
- Lu Y. See Jiang Y.
- Ma DH-K. See Kuo C-L.
- Ma KT. See Lee HK.
- MacRae SM. See Subbaram MV.
- Maden A. See Yilmaz S.
- Maguen E. See Rabinowitz YS.
- Mäkinen P. See Pietilä J.
- Manzulli M. See Lombardo M.
- Marshall J. See O'Brart DPS.
- McDonnell C, Rolincova M, Venter J. Comparison of measurement of pupil sizes among the Colvard pupillometer, Procyon pupillometer, and NIDEK OPD-Scan. 22(9):S1027-S1030.
- Meltzer J. See Talamo JH.
- Merayo J. See Alió JL.
- Merayo J. See Galal A.

2006 Index

- Merkley KH. See Jin GJC.
- Mídena E, Brugin E, Ghirlando A, Somnavilla M, Avogaro A. Corneal diabetic neuropathy: a confocal microscopy study. 22(9):S1047-S1052.
- Miller D. Cornea. 22(3):313. [Book Review]
- Miller D. Refractive surgery with phakic IOLs. 22(2):208. [Book Review]
- Miller D. Smolin and Thoft's The Cornea. 22(1):109. [Book Review]
- Mishra G. See Khachikian SS.
- Mobasher B. See Deenadayalu C.
- Mohammadpour M. See Javadi MA.
- Mohan RR. See Netto MV.
- Montero JA. See Ruiz-Moreno JM.
- Montés-Micó R, Alió JL. Near vision evaluation considering reading performance. 22(1):15-16. [Letter]
- Montés-Micó R. See Albarrán-Diego C.
- Morason RT. See Khachikian SS.
- Mrochen M. See Jankov MR II.
- Much MM, Haigis W. Ultrasound and partial coherence interferometry with measurement of central corneal thickness. 22(7):665-670.
- Muftuoglu O. See Erdem U.
- Mularoni A, Laffi GL, Bassein L, Tassinari G. Two-step LASIK with topography-guided ablation to correct astigmatism after penetrating keratoplasty. 22(1):67-74.
- Muñoz G. See Albarrán-Diego C.
- Nadar FCA. See Jarade EF.
- Naikoo HN. See Schwartz AP.
- Nakano C. See Nakano EM.
- Nakano EM, Bains H, Nakano K, Nakano C, Portellinha W, Oliveira M, Alvarenga L. Wavefront analysis in Asian-Brazilians. 22(9):S1024-S1026.
- Nakano K. See Nakano EM.
- Naoumidi II. See Katsanevaki VJ.
- Naranjo-Tackman R. See Ramirez M.
- Naroo SA. See Cervino A.
- Nartey I. See Ioannidis A.
- Naumann GOH. See Szentmáry N.
- Navarro R. See Rodríguez P.
- Netto MV, Mohan RR, Sinha S, Sharma A, Gupta PC, Wilson SE. Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits. 22(6):562-574.
- Netto MV. See Barreto J Jr.
- Ngassa EN. See Pinelli R.
- Ngo S. See Pirouzian A.
- Nguyen DQ, Hakin KN. Contact lens wear and IOL power calculation before cataract surgery: a cautionary tale. 22(2):204. [Report]
- Niazy AM. See Fernández DC.
- Nicksarley K. See Burakgazi AZ.
- Noda-Tsuruya T, Asano-Kato N, Toda I, Tsubota K. Autologous serum eye drops for dry eye after LASIK. 22(1):61-66.
- Nose I. See Espana EM.
- Nuijts RMMA. See Bootsma SJ.
- O'Brart DPS, Al-Attar M, Hussein B, Angunawela R, Marshall J. Laser subepithelial keratomileusis for the correction of high myopia with the Schwind ESIRIS scanning spot laser. 22(3):253-262.
- O'Connor J, O'Keefe M, Condon PI. Twelve-year follow-up of photorefractive keratectomy for low to moderate myopia. 22(9):871-877.
- O'Doherty JV. See O'Doherty MA.
- O'Doherty MA, O'Doherty JV, O'Keefe M. Outcome of LASIK for myopia in women on hormone replacement therapy. 22(4):350-353.
- O'Keefe M. See O'Connor J.
- O'Keefe M. See O'Doherty MA.
- Oberheide U. See Kermani O.
- Oliveira M. See Nakano EM.
- Orozco M. See Espana EM.
- Orucov F. See Landau D.
- Oshika T. See Hamada N.
- Ozbek Z. See Cetin E.
- Ozdil MA. See Yilmaz S.
- Ozkilic E. See Aslanides IM.
- Padmanabhan P, Rao SK, Jayasree R, Chowdhry M, Roy J. Monochromatic aberrations in eyes with different intraocular lens optic designs. 22(2):172-177.
- Padmanabhan P, Yoon G, Porter J, Rao SK, J R, Choudhury M. Wavefront aberrations in eyes with Acrysof monofocal intraocular lenses. 22(3):237-242.
- Pallikaris I. See Kymionis GD.
- Pallikaris IG. See Aslanides IM.
- Pallikaris IG. See Jankov MR II.
- Pallikaris IG. See Katsanevaki VJ.
- Palombi M. See Lombardo M.
- Panagopoulou SI. See Jankov MR II.
- Papalkar D. See Cheung LM.
- Parel J-M. See Espana EM.
- Patel S. See Alió JL.
- Pe LH. See Kanellopoulos AJ.
- Perente I. See Utine CA.
- Pérez-Santonja JJ. See Artola A.
- Pesudovs K, Coster DJ. Penetrating keratoplasty for keratoconus: the nexus between corneal wavefront aberrations and visual performance. 22(9):926-931.
- Pesudovs K, Figueiredo FC. Corneal first surface wavefront aberrations before and after pterygium surgery. 22(9):921-925.
- Pesudovs K, Garamendi E, Elliott DB. A quality of life comparison of people wearing spectacles or contact lenses or having undergone refractive surgery. 22(1):19-27.
- Pesudovs K. See Applegate RA.
- Petrocelli G. See Valente P.
- Pettit GH. The ideal excimer beam for refractive surgery. 22(9):S969-S972.
- Pietilä J, Mäkinen P, Suominen S, Huhtala A, Uusitalo H. Bilateral comparison of corneal flap dimensions with the Moria M2 reusable head and single use head microkeratomes. 22(4):354-357.
- Pinelli R, Ngassa EN, Scaffidi E. Sequential ablation approach to the correction of mixed astigmatism. 22(8):787-794.
- Pirouzian A, Thornton J, Ngo S. One-year outcomes of a bilateral randomized prospective clinical trial comparing laser subepithelial keratomileusis and photorefractive keratectomy. 22(6):575-579.
- Plainis S. See Aslanides IM.
- Pollack K. See Kohlhaas M.

- Portellinha W. See Nakano EM.
- Porter J. See Padmanabhan P.
- Potvin RJ. See Lawless MA.
- Price FW Jr. Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. 22(6):530. [Reply to Letter]
- Psilas K. See Aspiotis M.
- Qu M. See He R.
- Qu X. See Dai J.
- Rabei HM. See Javadi MA.
- Rabinowitz YS, Li X, Ignacio TS, Maguen E. INTACS inserts using the femtosecond laser compared to the mechanical spreader in the treatment of keratoconus. 22(8):764-771.
- Rai GK. See Cervino A.
- Rajan SD. See Deenadayalu C.
- Ramírez M, Hernández-Quintela E, Sánchez-Huerta V, Naranjo-Tackman R. Confocal microscopy of corneal flap microfolds after LASIK. 22(2):155-158.
- Ramos-Esteban JC, Servat JJ, Tauber S, Bia F. *Bacillus megaterium* delayed onset lamellar keratitis after LASIK. 22(3):309-312. [Report]
- Rao SK. See Cheng ACK.
- Rao SK. See Long Q.
- Rao SK. See Padmanabhan P.
- Rebecchi MT. See Valente P.
- Rehany U, Landa E. A new analysis for laser thermal keratoplasty using a focused laser. 22(3):229. [Reply to Letter]
- Reinstein DZ, Archer TJ, Couch D. Accuracy of the WASCA aberrometer refraction compared to manifest refraction in myopia. 22(3):268-274.
- Reinstein DZ, Roberts C. Biomechanics of corneal refractive surgery. 22(3):285.
- Reinstein DZ, Srivannaboon S, Archer TJ, Silverman RH, Sutton H, Coleman DJ. Probability model of the inaccuracy of residual stromal thickness prediction to reduce the risk of ectasia after LASIK part I: quantifying individual risk. 22(9):851-860.
- Reinstein DZ, Srivannaboon S, Archer TJ, Silverman RH, Sutton H, Coleman DJ. Probability model of the inaccuracy of residual stromal thickness prediction to reduce the risk of ectasia after LASIK part II: quantifying population risk. 22(9):861-870.
- Reinstein DZ, Sutton HFS, Srivannaboon S, Silverman RH, Archer TJ, Coleman DJ. Evaluating microkeratome efficacy by 3D corneal lamellar flap thickness accuracy and reproducibility using Artemis VHF digital ultrasound arc-scanning. 22(5):431-440.
- Reinstein DZ, Waring GO III. Have you seen the 10-year long-term safety data on LASIK? 22(9):843-845. [Editorial]
- Roberts C. See Reinstein DZ.
- Rodriguez A. See Albarran-Diego C.
- Rodríguez P, Navarro R, Arines J, Bará S. A new calibration set of phase plates for ocular aberrometers. 22(3):275-284.
- Rodriguez-Prats J. See Galal A.
- Rodriguez-Prats JL. See Artola A.
- Rolincova M. See McDonnell C.
- Rollins AM. See Thomas J.
- Rosa N, Lanza M, Capasso L. Intraocular lens power calculation for eyes with previous myopic LASIK. 22(9):847. [Letter]
- Rosa N, Capasso L. IOL power calculation after corneal refractive surgery. 22(8):735. [Letter]
- Roszkowska AM, De Grazia L, Ferreri P, Ferreri G. One-year clinical results of photorefractive keratectomy with a solid-state laser for refractive surgery. 22(6):611-616. [Report]
- Roy J. See Padmanabhan P.
- Ruffy R. See Belmont SC.
- Ruiz-Moreno JM, Montero JA, de la Vega C, Alió JL, Zapater P. Macular choroidal neovascularization in myopic eyes after phakic intraocular lens implantation. 22(7):689-694.
- Ruiz-Moreno JM, Montero JA, de la Vega C, Alió JL, Zapater P. Retinal detachment in myopic eyes after phakic intraocular lens implantation. 22(3):247-252.
- Ruiz-Moreno JM. See Artola A.
- Ruiz-Moreno JM. See Javaloy J.
- Ruiz-Moreno O. See Galal A.
- Saatci AO. See Cetin E.
- Sabetti L. See Spadea L.
- Sakuraba T. Optical quality measurements of hydrophobic acrylic intraocular lenses. 22(8):824-826. [Report]
- Sala E. See Alió JL.
- Sánchez A. See Galal A.
- Sánchez-Huerta V. See Ramírez M.
- Sánchez-Salorio M. See de Rojas Silva MV.
- Sanders D. See Eydelman MB.
- Sarra G-M. See Katsoulis K.
- Sarver EJ, Schwiegerling J, Applegate RA. Extracting wavefront error from Shack-Hartmann images using spatial demodulation. 22(9):949-953.
- Sassenroth M. See Holzer MP.
- Scaffidi E. See Pinelli R.
- Scandola E. See Carones R.
- Schittny JC. See Katsoulis K.
- Schmiedt K. See Kermani O.
- Schneider H. See Stachs O.
- Schor P. See Jankov MR II.
- Schor P. See Carvalho LA.
- Schwartz AP, Tinio BO, Esmail F, Babayan A, Naikoo HN, Asbell PA. Ten-year follow-up of 360° intrastromal corneal rings for myopia. 22(9):878-883.
- Schwiegerling J. See Beverage JL.
- Schwiegerling J. See Sarver EJ.
- Seiler T. See Jankov MR II.
- Seitz B. See Szentmáry N.
- Serrao S. See Lombardo M.
- Servat JJ. See Ramos-Esteban JC.
- Shabayek MH. See Alió JL.
- Shah V. See Tran DB.
- Sharma A. See Netto MV.
- Sharma N, Balasubramanya R, Sinha R, Titiyal JS, Vajpayee RB. Retreatment of LASIK. 22(4):396-401. [Review Article]
- Sharma N, Singh S, Agarwal T, Sinha R, Vajpayee RB. Polymicrobial keratitis after laser subepithelial keratomileusis. 22(2):129-130. [Letter]
- Sharma S. See Balasubramanya R.
- Shen Y. See Du C.
- Sheng Y. See Yang Y.
- Shimazaki J. See Kaido M.
- Silverman R. See Belmont SC.
- Silverman RH. See Reinstein DZ.
- Simpson T. See Haque S.
- Singh S. See Sharma N.

- Sinha R. See Sharma N.
 Sinha S. See Netto MV.
 Slade SG. See Subbaram MV.
 Solari HP. See de Oliveira GC.
 Solomon A. See Landau D.
 Somani S, Cheng L, Zickler L, Gross E. Shack-Hartmann-based wavefront analyzer for calibrating excimer lasers. 22(9):938-942.
 Sommavilla M. See Midena E.
 Soriano ES. See Souza CE.
 Souza CE, Gerente VM, Chalita MR, Soriano ES, Freitas LL, Belfort R Jr. Visual acuity, contrast sensitivity, reading speed, and wavefront analysis: pseudophakic eye with multifocal IOL (ReSTOR) versus fellow phakic eye in non-presbyopic patients. 22(3):303-305. [Report]
 Spadea L, Sabetti L, D'Alessandri L, Balestrazzi E. Photorefractive keratectomy and LASIK for the correction of hyperopia: 2-year follow-up. 22(2):131-136.
 Spoerl E. See Kohlhaas M.
 Srivannaboon S. See Reinstein DZ.
 Stachs O, Guthoff R. Performance of the Crystalens. 22(7):634-635. [Reply to Letter]
 Stachs O, Schneider H, Beck R, Guthoff R. Pharmacological-induced haptic changes and the accommodative performance in patients with the AT-45 accommodative IOL. 22(2):145-150.
 Stahl JE. Conductive keratoplasty for presbyopia: 1-year results. 22(2):137-144.
 Stefaniotou M. See Aspiotis M.
 Strassman E. See Landau D.
 Stratas BA. Late bilateral keratectasia after LASIK in a low myopic patient. 22(4):331. [Letter]
 Stulting RD. See Eydelman MB.
 Sturm J. See Thomas J.
 Subbaram MV, MacRae SM, Slade SG, Durrie DS. Customized LASIK treatment for myopia: relationship between preoperative higher order aberrations and refractive outcome. 22(8):746-753.
 Suominen S. See Pietilä J.
 Sutton H. See Reinstein DZ.
 Sutton HFS. See Reinstein DZ.
 Szentmáry N, Langenbacher A, Naumann GOH, Seitz B. Intra-individual variability of penetrating keratoplasty outcome after excimer laser versus motorized corneal trephination. 22(8):804-810.
 Tabbara KF. See Jarade EF.
 Tahzib NG. See Bootsma SJ.
 Talamo JH, Meltzer J, Gardner J. Reproducibility of flap thickness with IntraLase FS and Moria LSK-1 and M2 microkeratomes. 22(6):556-561.
 Tan DTH. See Wei RH.
 Tang E. See Cheng ACK.
 Tang X. See Yao K.
 Tassinari G. See Mularoni A.
 Tauber S. See Ramos-Esteban JC.
 Tehrani M, Dick HB. Scheimpflug biometry of the anterior segment after implantation of foldable iris-fixated lenses. 22(3):343-246.
 Tehrani M, Dick HB. The "sandwich technique" for iris-fixated phakic intraocular lens implantation. 22(1):96-98.
 Thomas J, Wang J, Rollins AM, Sturm J. Comparison of corneal thickness measured with optical coherence tomography, ultrasonic pachymetry, and a scanning slit method. 22(7):671-678.
 Thomas J. See Wang J.
 Thornton J. See Pirouzian A.
 Tinio B. See Burakgazi AZ.
 Tinio BO. See Schwartz AP.
 Titiyal JS. See Sharma N.
 Toda I, Kato-Asano N, Hori-Komai Y, Tsubota K. Dry eye after LASIK enhancement by flap lifting. 22(4):358-362.
 Toda I. See Hori-Komai Y.
 Toda I. See Noda-Tsuruya T.
 Toda I. See Tsuji K.
 Tomita G. See Hamada N.
 Tran DB, Shah V. Higher order aberrations comparison in fellow eyes following IntraLase LASIK with WaveLight Allegretto and CustomCornea LADARVision4000 systems. 22(9):S961-S964.
 Tsiklis NS. See Aslanides IM.
 Tsiklis NS. See Jankov MR II.
 Tsiklis NS. See Kymionis GD.
 Tsubota K. See Hori-Komai Y.
 Tsubota K. See Kaido M.
 Tsubota K. See Noda-Tsuruya T.
 Tsubota K. See Toda I.
 Tsubota K. See Tsuji K.
 Tsuji K, Yamamoto T, Hori-Komai Y, Toda I, Tsubota K. Traumatic epithelial flap detachment after laser subepithelial keratomileusis. 22(3):305-307. [Report]
 Utine CA, Bayraktar S, Kaya V, Eren H, Perente I, Kucuksumer Y, Kevser MA, Yilmaz OF. ZB5M anterior chamber and Fyodorov's posterior chamber phakic intraocular lenses: long-term follow-up. 22(9):906-910. [Report]
 Uusitalo H. See Pietilä J.
 Vajpayee RB. See Sharma N.
 Valente P, Buzzonetti L, Dickmann A, Rebecchi MT, Petrocelli G, Balestrazzi E. Refractive surgery in patients with high myopic anisometropia. 22(5):461-466.
 van Rij G, Bartels M. Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. 22(6):529-530. [Report]
 Vemuganti GK. See Balasubramanya R.
 Venter J. See McDonnell C.
 Versace P. See Cheung LM.
 Veziroglu U. See Altan-Yaycioglu R.
 Vidal MT. See Javaloy J.
 Vigo L. See Carones R.
 Villa C. See Jimenez JR.
 Wang J, Thomas J, Cox I. Corneal light backscatter measured by optical coherence tomography after LASIK. 22(6):604-610.
 Wang J. See Thomas J.
 Wang W. See Wang Y.
 Wang X. See Dai J.
 Wang Y, He J, Zhao K, Jin Y, Zuo T, Wang W. Optical quality analysis after surface excimer laser ablation: the relationship between wavefront aberration and subepithelial haze. 22(9):S1031-S1036.
 Wang Y. See Du C.
 Waring GO III. Increased publication frequency and online advanced release—two strides forward for faster dissemination of information. 22(3):226-227. [Editorial]
 Waring GO III. See Reinstein DZ.

- Wei RH, Lim L, Chan WK, Tan DTH. Higher order ocular aberrations in eyes with myopia in a Chinese population. 22(7):695-702.
- Weisinger HS. Assessing the value of LASIK by patient-reported outcomes using quality of life assessment. 22(1):14-15. [Letter]
- Wilson SE. See Netto MV.
- Wong B. See Eydelman MB.
- Wu F. See Yang Y.
- Xiao Z. See Ying L.
- Yamagami S. See Hamada N.
- Yamamoto T. See Hori-Komai Y.
- Yamamoto T. See Tsuji K.
- Yang J. See Jiang Y.
- Yang Y, Du C, Sheng Y, Wu F, He F, Yao K, Dougherty PJ. Preoperative characteristics of patients undergoing LASIK in 1997 versus 2004 at one surgical eye center in China. 22(7):703-707.
- Yang Y. See Du C.
- Yao K, Tang X, Ye P. Corneal astigmatism, high order aberrations, and optical quality after cataract surgery: microincision versus small incision. 22(9):S1079-S1082.
- Yao K. See Yang Y.
- Ye P. See Yao K.
- Yilmaz OF. See Utine CA.
- Yilmaz S, Ozdil MA, Bozkir N, Maden A. The effect of Nd:YAG laser capsulotomy size on refraction and visual acuity. 22(7):719-721. [Report]
- Ying L, Xiao Z, Liuxueying Z, Yumei J. Clinical use of in vivo confocal microscopy through focusing in corneal refractive surgery. 22(9):S1041-S1046.
- Yoo SH. See Espana EM.
- Yoon G. See Padmanabhan P.
- Young AL. See Cheng ACK.
- Yu S. See He R.
- Yumei J. See Ying L.
- Zapater P. See Ruiz-Moreno JM.
- Zhao K. See Wang Y.
- Zhou X. See Dai J.
- Zhou X. See Long Q.
- Zickler L. See Somani S.
- Zuo T. See Wang Y.
- A Shack-Hartmann-based autorefractor. Beverage JL, Schwiegerling J. 22(9):932-937.
- A standardized drawing scheme to document corneal changes following refractive corneal surgery. Bühren J, Kohnen T. 22(2):166-171.
- Acanthamoeba* keratitis after LASIK. Balasubramanya R, Garg P, Sharma S, Vemuganti GK. 22(6):616-617. [Report]
- Accuracy of the WASCA aberrometer refraction compared to manifest refraction in myopia. Reinstein DZ, Archer TJ, Couch D. 22(3):268-274.
- Analysis of intraocular lens power calculation for eyes with previous myopic LASIK. Jin GJC, Crandall AS, Jin Y. 22(4):387-395.
- Anterior stromal puncture in the treatment of loose epithelium after LASIK. Brilakis HS, Holland EJ. 22(1):103-105. [Report]
- Artisan aphakic intraocular lens implantation in cases of subluxated crystalline lenses due to Marfan syndrome. Aspiotis M, Asproudis I, Stefaniotou M, Gorezis S, Psilas K. 22(1):99-101. [Report]
- Artisan phakic intraocular lens implantation after retinal detachment surgery. Chung JK, Lee JB, Lee SJ. 22(8):820-823. [Report]
- Assessing the value of LASIK by patient-reported outcomes using quality of life assessment. Weisinger HS. 22(1):14-15. [Letter]
- Autologous serum eye drops for dry eye after LASIK. Noda-Tsuruya T, Asano-Kato N, Toda I, Tsubota K. 22(1):61-66.
- Automated visual axis alignment for refractive excimer laser ablation. Kermani O. 22(9):S1089-S1092.
- Bacillus megaterium* delayed onset lamellar keratitis after LASIK. Ramos-Esteban JC, Servat JJ, Tauber S, Bia F. 22(3):309-312. [Report]
- Bifocal profiles and strategies of presbyLASIK for pseudoaccommodation. Lin JT. 22(8):736-738. [Letter]
- Bilateral central crystalline corneal deposits four years after Intacs for myopia. Katsoulis K, Sarra G-M, Schittny JC, Frueh BE. 22(9):910-913. [Report]
- Bilateral comparison of conventional versus topographic-guided customized ablation for myopic LASIK with the NIDEK EC-5000. Du C, Yang Y, Shen Y, Wang Y, Dougherty PJ. 22(7):642-646.
- Bilateral comparison of corneal flap dimensions with the Moria M2 reusable head and single use head microkeratomes. Pietilä J, Mäkinen P, Suominen S, Huhtala A, Uusitalo H. 22(4):354-357.
- Binocular visual performance after LASIK. Jiménez JR, Villa C, Anera RG, Gutiérrez R, Jiménez del Barco L. 22(7):679-688.
- Biomechanical model of corneal transplantation. Fernández DC, Niazzy AM, Kurtz RM, Djotyán GP, Juhasz T. 22(3):293-302.
- Biomechanics of corneal refractive surgery. Reinstein DZ, Roberts C. 22(3):285.
- Centration analysis of ablation over the coaxial corneal light reflex for hyperopic LASIK. Chan CCK, Boxer Wachler BS. 22(5):467-471.
- Changes in corneal astigmatism and high order aberrations after clear corneal tunnel phacoemulsification guided by corneal topography. Jiang Y, Le Q, Yang J, Lu Y. 22(9):S1083-S1088.
- Clinical results with the Medennium phakic refractive lens for the correction of high myopia. Jongsareejit A. 22(9):890-897.
- Clinical use of in vivo confocal microscopy through focusing in corneal refractive surgery. Ying L, Liuxueying Z, Yumei J. 22(9):S1041-S1046.
- Comparison of LASIK using the NIDEK EC-5000 optimized aspheric transition zone (OATz) and conventional ablation profile. Hori-Komai Y, Toda I, Asano-Kato N, Ito M, Yamamoto T, Tsubota K. 22(6):546-555.

TITLE INDEX

- A correction formula for the real intraocular pressure after LASIK for the correction of myopic astigmatism. Kohlhaas M, Spoerl E, Boehm AG, Pollack K. 22(3):263-267.
- A new analysis for laser thermal keratoplasty using a focused laser. Lin JT. 22(3):228-229. [Letter]
- A new analysis for laser thermal keratoplasty using a focused laser. Rehany U, Landa E. 22(3):229. [Reply to Letter]
- A new calibration set of phase plates for ocular aberrometers. Rodríguez P, Navarro R, Arines J, Bará S. 22(3):275-284.
- A new formula for intraocular lens power calculation after refractive corneal surgery. Camellin M, Calossi A. 22(2):187-199.
- A new wavefront sensor with polar symmetry: quantitative comparisons with a Shack-Hartmann wavefront sensor. Carvalho LA, Castro J, Chamon W, Schor P. 22(9):954-958.
- A quality of life comparison of people wearing spectacles or contact lenses or having undergone refractive surgery. Pesudovs K, Garamendi E, Elliott DB. 22(1):19-27.

2006 Index

- Comparison of corneal thickness measured with optical coherence tomography, ultrasonic pachymetry, and a scanning slit method. Thomas J, Wang J, Rollins AM, Sturm J. 22(7):671-678.
- Comparison of higher order aberrations and contrast sensitivity after LASIK, Verisyse phakic IOL, and Array multifocal IOL. Chandhrasri S, Knorz MC. 22(3):231-236.
- Comparison of laser epithelial keratomileusis with and without the use of mitomycin C. Argento C, Cosentino MJ, Ganly M. 22(8):782-786.
- Comparison of measurement of pupil sizes among the Colvard pupillometer, Procyon pupillometer, and NIDEK OPD-Scan. McDonnell C, Rolincova M, Venter J. 22(9):S1027-S1030.
- Comparison of partial coherence interferometers: ACMaster versus laboratory prototype. Kriechbaum K, Leydolt C, Findl O, Bolz M, Drexler W. 22(8):811-816.
- Comparison of wavefront reconstructions with Zernike polynomials and Fourier transforms. Dai G. 22(9):943-948.
- Complex wavefront-guided retreatments with the Alcon CustomCornea platform after prior LASIK. Hiatt JA, Grant CN, Boxer Wachler BS. 22(1):48-53.
- Conductive keratoplasty for presbyopia: 1-year results. Stahl JE. 22(2):137-144.
- Confocal microscopy of corneal flap microfolds after LASIK. Ramírez M, Hernández-Quintela E, Sánchez-Huerta V, Naranjo-Tackman R. 22(2):155-158.
- Confocal microscopy of disposable and nondisposable heads for the Moria M2 microkeratome. Javaloy J, Vidal MT, Ruiz-Moreno JM, Alió JL. 22(1):28-33.
- Contact lens wear and IOL power calculation before cataract surgery: a cautionary tale. Nguyen DQ, Hakin KN. 22(2):204. [Report]
- Cornea. Miller D. 22(3):313. [Book Review]
- Corneal aberration changes after hyperopic LASIK: a comparison between the VISX Star S2 and the Asclepion-Meditec MEL 70 G Scan excimer lasers. Albarrán-Diego C, Muñoz G, Montés-Micó R, Rodríguez A, Alió JL. 22(1):34-42.
- Corneal and epithelial thickness in keratoconus: a comparison of ultrasonic pachymetry, Orbscan II, and optical coherence tomography. Haque S, Simpson T, Jones L. 22(5):486-493.
- Corneal astigmatism, high order aberrations, and optical quality after cataract surgery: microincision versus small incision. Yao K, Tang X, Ye P. 22(9):S1079-S1082.
- Corneal diabetic neuropathy: a confocal microscopy study. Midena E, Brugin E, Ghirlando A, Somavilla M, Avogaro A. 22(9):S1047-S1052.
- Corneal first surface wavefront aberrations before and after pterygium surgery. Pesudovs K, Figueiredo FC. 22(9):921-925.
- Corneal higher order aberrations: a method to grade keratoconus. Alió JL, Shabayek MH. 22(6):539-545.
- Corneal infiltrates after excimer laser photorefractive keratectomy and LASIK. de Oliveira GC, Solari HP, Ciola FB, Lima ALH, Campos MS. 22(2):159-165.
- Corneal light backscatter measured by optical coherence tomography after LASIK. Wang J, Thomas J, Cox I. 22(6):604-610.
- Corneal topography vs ocular wavefront sensing in the retreatment of highly aberrated post surgical eyes. Krueger RR. 22(4):328-330. [Guest Editorial]
- Correction of high astigmatism: case studies using the mixed-cylinder approach. Khan HN, Kaye GB, Febraro JL. 22(9):S1073-S1078.
- Correction of presbyopia by Technovision central multifocal LASIK (PresbyLASIK). Alió JL, Chaubard JJ, Caliz A, Sala E, Patel S. 22(5):453-460.
- Correlation between TGF- β 1 in tears and corneal haze following LASEK and epi-LASIK. Long Q, Chu R, Zhou X, Dai J, Chen C, Rao SK, Lam DSC. 22(7):708-712.
- Customized LASIK treatment for myopia: relationship between preoperative higher order aberrations and refractive outcome. Subbaram MV, MacRae SM, Slade SG, Durrie DS. 22(8):746-753.
- Decentration and cataract formation 10 years following posterior chamber silicone phakic intraocular lens implantation. Al-Swailem SA, Al-Rajhi AA. 22(5):513-515. [Report]
- Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. van Rij G, Bartels M. 22(6):529-530. [Letter]
- Descemet's stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. Price FW Jr. 22(6):530. [Reply to Letter]
- Dry eye after LASIK enhancement by flap lifting. Toda I, Kato-Asano N, Hori-Komai Y, Tsubota K. 22(4):358-362.
- Dry eye after photorefractive keratectomy with adjuvant mitomycin C. Kymionis GD, Tsiklis NS, Ginis H, Diakonis VF, Pallikaris I. 22(5):511-513. [Report]
- Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits. Netto MV, Mohan RR, Sinha S, Sharma A, Gupta PC, Wilson SE. 22(6):562-574.
- Endophthalmitis after Artisan phakic intraocular lens implantation for correction of high myopia. Diab F, Al-Rashaed S, Al-Motowa S. 22(4):332-333. [Letter]
- Epi-LASIK: histological findings of separated epithelial sheets 24 hours after treatment. Katsanevaki VJ, Naoumidi II, Kalyvianaki MI, Pallikaris IG. 22(2):151-154.
- Error analysis of intraocular lens power in eyes after LASIK. Lin JT. 22(2):127-128. [Letter]
- Error analysis of intraocular lens power in eyes after LASIK. Cheng ACK, Lam DSC. 22(2):128. [Reply to Letter]
- Evaluating microkeratome efficacy by 3D corneal lamellar flap thickness accuracy and reproducibility using Artemis VHF digital ultrasound arc-scanning. Reinstein DZ, Sutton HFS, Srivannaboon S, Silverman RH, Archer TJ, Coleman DJ. 22(5):431-440.
- Evaluation of pupil dynamics after implantation of Artisan phakic intraocular lenses. Bootsma SJ, Tahzib NG, Eggink FAGJ, de Brabander J, Nuijts RMMA. 22(4):367-371.
- Extracting wavefront error from Shack-Hartmann images using spatial demodulation. Sarver EJ, Schwiegerling J, Applegate RA. 22(9):949-953.
- Fourier analysis of single running suture adjustment in penetrating and deep lamellar keratoplasty. Kaido M, Dogru M, Goto E, Shimazaki J, Tsubota K. 22(6):617-620. [Report]
- Fulfilling the promise of laser refractive surgery. Lawless MA, Potvin RJ. 22(9):S965-S968.
- Have you seen the 10-year long-term safety data on LASIK? Reinstein DZ, Waring GO III. 22(9):843-845. [Editorial]
- Herpes simplex keratitis following excimer laser application. Lu C-K, Chen K-H, Lee S-M, Hsu W-M, Lai J-Y, Li Y-S. 22(5):509-511. [Report]
- Higher order aberrations comparison in fellow eyes following IntraLase LASIK with WaveLight Allegretto and CustomCornea LADARVision4000 systems. Tran DB, Shah V. 22(9):S961-S964.
- Higher order aberrations in normal eyes measured with three different aberrometers. Burakgazi AZ, Tinio B, Bababayan A, Nicksarley K, Asbell P. 22(9):898-903.
- Higher order ocular aberrations in eyes with myopia in a Chinese population. Wei RH, Lim L, Chan WK, Tan DTH. 22(7):695-702.

- Hyperopic LASIK following intracorneal hydrogel lens explantation. Alió JL, Shabayek MH. 22(2):205-207. [Report]
- Hyperopic LASIK retreatments with the Technolas laser. Alió JL, Galal A, Artola A, Ayala MJ, Merayo J. 22(6):596-603.
- Hyperopic LASIK with Esiris/Schwind technology. Alió J, Galal A, Ayala MJ, Artola A. 22(8):772-781.
- INTACS inserts using the femtosecond laser compared to the mechanical spreader in the treatment of keratoconus. Rabinowitz YS, Li X, Ignacio TS, Maguen E. 22(8):764-771.
- IOL power calculation after corneal refractive surgery. Rosa N, Capasso L. 22(8):735. [Letter]
- IOL power calculation after corneal refractive surgery. Calossi A, Camellin M. 22(8):735-736. [Reply to Letter]
- Idiopathic ectasia after LASIK. Abad JC. 22(3):230. [Letter]
- Idiopathic ectasia after LASIK. Lifshitz T, Levy J. 22(3):230. [Reply to Letter]
- Improvement of best spectacle-corrected visual acuity after LASIK in highly myopic eyes with reduced preoperative best spectacle-corrected visual acuity. He R, Qu M, Fen Y, Yu S. 22(9):S1053-S1055.
- Increased publication frequency and online advanced release—two strides forward for faster dissemination of information. Waring GO III. 22(3):226-227. [Editorial]
- Interface corneal edema secondary to steroid-induced elevation of intraocular pressure simulating diffuse lamellar keratitis. Galal A, Artola A, Belda J, Rodriguez-Prats J, Claramonte P, Sánchez A, Ruiz-Moreno O, Merayo J, Alió J. 22(5):441-447.
- Intra-individual variability of penetrating keratoplasty outcome after excimer laser versus motorized corneal trephination. Szentmáry N, Langenbucher A, Naumann GOH, Seitz B. 22(8):804-810.
- Intracorneal asymmetrical rings for keratoconus: where should the thicker segment be implanted? Alió JL, Shabayek MH. 22(3):307-309. [Report]
- Intraocular lens power calculation following LASIK: determination of the new effective index of refraction. Jarade EF, Nadar FCA, Tabbara KF. 22(1):75-80.
- Intraocular lens power calculation for eyes with previous myopic LASIK. Rosa N, Lanza M, Capasso L. 22(9):847. [Letter]
- Intraocular lens power calculation for eyes with previous myopic LASIK. Jin G, Crandall AS, Jin Y. 22(9):847-848. [Reply to Letter]
- Intraocular lens power calculation in high myopic eyes with previous radial keratotomy. Han ES, Lee JH. 22(7):713-716. [Report]
- Introduction to advanced diagnostics and techniques in refractive surgery. Dougherty P. 22(9):S1012-S1013. [Guest Editorial]
- Introduction to commercially approved wavefront-guided customization: fourth year in review. Krueger RR. 22(9):S959-S960.
- Introduction to the Proceedings of the 7th International Congress of Wavefront Sensing and Optimized Refractive Corrections. Applegate RA, Krueger RR, Pesudovs K. 22(9):915-916.
- Keratectasia after LASIK but not after PRK in one patient. Javadi MA, Mohammadpour M, Rabei HM. 22(8):817-820. [Report]
- LASIK for hyperopia with the WaveLight excimer laser. Kanellopoulos AJ, Conway J, Pe LH. 22(1):43-47.
- LASIK in myopic patients with dermatological keloids. Artola A, Galal A, Belda JI, Pérez-Santonja JJ, Rodriguez-Prats JL, Ruiz-Moreno JM, Alió JL. 22(5):505-508.
- LASIK using the NIDEK EC-5000 for the correction of hyperopic astigmatism. Ismail MM. 22(9):S1069-S1072.
- Laceration and partial dislocation of LASIK flaps 7 and 4 years postoperatively with 20/20 visual acuity after repair. Jin GJC, Merkley KH. 22(9):904-905. [Report]
- Laser subepithelial keratomileusis for the correction of high myopia with the Schwind ESIRIS scanning spot laser. O'Brart DPS, Al-Attar M, Hussein B, Angunawela R, Marshall J. 22(3):253-262.
- Late bilateral keratectasia after LASIK in a low myopia patient. Kymionis GD. 22(5):429-430. [Letter]
- Late bilateral keratectasia after LASIK in a low myopia patient. Lifshitz T, Levy J. 22(5):430. [Reply to Letter]
- Late bilateral keratectasia after LASIK in a low myopic patient. Stratas BA. 22(4):331. [Letter]
- Late bilateral keratectasia after LASIK in a low myopic patient. Lifshitz T, Levy J. 22(4):331. [Reply to Letter]
- Late onset diffuse lamellar keratitis as a result of the toxic effect of *Ecballium elaterium* herb. Koçak I, Karabela Y, Karaman M, Kaya F. 22(8):826-827. [Report]
- Late onset lamellar keratitis and epithelial ingrowth following orbital cellulitis. Kuo C-L, Lin H-F, Fang P-C, Kuo H-K, Ma DH-K. 22(2):202-204. [Report]
- Late traumatic flap dislocations after LASIK. Cheng ACK, Rao SK, Leung GYS, Young AL, Lam DSC. 22(5):500-504.
- Long-term refractive results of myopic LASIK complicated with intraoperative epithelial defects. Esquenazi S, Bui V. 22(1):54-60.
- Macular choroidal neovascularization in myopic eyes after phakic intraocular lens implantation. Ruiz-Moreno JM, Montero JA, de la Vega C, Alió JL, Zapater P. 22(7):689-694.
- Measurement of combined corneal, internal, and total ocular optical quality analysis in anterior segment pathology with the OPD-Scan and OPD-Station. Gatinel D, Hoang-Xuan T. 22(9):S1014-S1020.
- Measurement of contrast sensitivity and glare under mesopic and photopic conditions following wavefront-guided and conventional LASIK surgery. Lee HK, Choe CM, Ma KT, Kim EK. 22(7):647-655.
- Monochromatic aberrations in eyes with different intraocular lens optic designs. Padmanabhan P, Rao SK, Jayasree R, Chowdhry M, Roy J. 22(2):172-177.
- Near vision evaluation considering reading performance. Montés-Micó R, Alió JL. 22(1):15-16. [Letter]
- NeuroVision treatment for low myopia following LASIK regression. Lim KL, Fam HB. 22(4):406-408. [Report]
- One-year clinical results of photorefractive keratectomy with a solid-state laser for refractive surgery. Roszkowska AM, De Grazia L, Ferreri P, Ferreri G. 22(6):611-616. [Report]
- One-year outcomes of a bilateral randomized prospective clinical trial comparing laser subepithelial keratomileusis and photorefractive keratectomy. Pirouzian A, Thornton J, Ngo S. 22(6):575-579.
- One-year outcomes of epi-LASIK for myopia. Dai J, Chu R, Zhou X, Chen C, Qu X, Wang X. 22(6):589-595.
- Optic disc and retinal nerve fiber layer analysis with scanning laser tomography after LASIK. Hamada N, Kaiya T, Oshika T, Kato S, Tomita G, Yamagami S, Amano S. 22(4):372-375.
- Optical factors in increased best spectacle-corrected visual acuity after LASIK. Erdem U, Muftuoglu O. 22(9):S1056-S1068.
- Optical quality analysis after surface excimer laser ablation: the relationship between wavefront aberration and subepithelial haze. Wang Y, He J, Zhao K, Jin Y, Zuo T, Wang W. 22(9):S1031-S1036.
- Optical quality measurements of hydrophobic acrylic intraocular lenses. Sakuraba T. 22(8):824-826. [Report]

2006 Index

- Outcome of LASIK for myopia in women on hormone replacement therapy. O'Doherty MA, O'Doherty JV, O'Keefe M. 22(4):350-353.
- Pachymetry assessment with Orbscan II in postoperative patients with myopic LASIK. Cheng ACK, Rao SK, Tang E, Lam DSC. 22(4):363-366.
- Penetrating keratoplasty for keratoconus: the nexus between corneal wavefront aberrations and visual performance. Pesudovs K, Coster DJ. 22(9):926-931.
- Performance of the Crystalens. Cumming JS. 22(7):633-634. [Letter]
- Performance of the Crystalens. Stachs O, Guthoff R. 22(7):634-635. [Reply to Letter]
- Phacoemulsification and implantation of an accommodating IOL after PRK. Aslanides IM, Plainis S, Kumar V, Ginis H. 22(1):106-108. [Report]
- Pharmacological-induced haptic changes and the accommodative performance in patients with the AT-45 accommodative IOL. Stachs O, Schneider H, Beck R, Guthoff R. 22(2):145-150.
- Photorefractive keratectomy and LASIK for the correction of hyperopia: 2-year follow-up. Spadea L, Sabetti L, D'Alessandri L, Balestrazzi E. 22(2):131-136.
- Photorefractive keratectomy in megalophthalmos anterior. Gallyas E, Hidasi V, Ferincz I, Kolozsvari L. 22(4):408-411. [Report]
- Photorefractive keratectomy performed on a patient with nickel allergy using only plastic instruments. Latkany R, Du TT. 22(2):128-129. [Letter]
- Polymicrobial keratitis after laser subepithelial keratomileusis. Sharma N, Singh S, Agarwal T, Sinha R, Vajpayee RB. 22(2):129-130. [Letter]
- Precision of higher order aberration repeatability with NIDEK OPD-Scan retinoscopic aberrometry. Barreto J Jr, Netto MV, Cigna A, Bechara S, Kara-José N. 22(9):S1037-S1040.
- Precision of NIDEK OPD-Scan measurements. Holzer MP, Goebels S, Auffarth GU. 22(9):S1021-S1023.
- Prediction and control of corneal asphericity after refractive surgery. Lin JT. 22(9):848-849. [Letter]
- Preoperative characteristics of patients undergoing LASIK in 1997 versus 2004 at one surgical eye center in China. Yang Y, Du C, Sheng Y, Wu F, He F, Yao K, Dougherty PJ. 22(7):703-707.
- Probability model of the inaccuracy of residual stromal thickness prediction to reduce the risk of ectasia after LASIK Part I: quantifying individual risk. Reinstein DZ, Srivannaboon S, Archer TJ, Silverman RH, Sutton H, Coleman DJ. 22(9):851-860.
- Probability model of the inaccuracy of residual stromal thickness prediction to reduce the risk of ectasia after LASIK Part II: quantifying population risk. Reinstein DZ, Srivannaboon S, Archer TJ, Silverman RH, Sutton H, Coleman DJ. 22(9):861-870.
- Prophylactic perioperative antiviral therapy for LASIK in patients with inactive herpetic keratitis. de Rojas Silva MV, Díez-Feijóo E, Javaloy J, Sánchez-Salorio M. 22(4):404-406. [Report]
- Refractive change induced by the LASIK flap in a biomechanical finite element model. Deenadayalu C, Mobasher B, Rajan SD, Hall GW. 22(3):286-292.
- Refractive surgery in patients with high myopic anisometropia. Valente P, Buzzonetti L, Dickmann A, Rebecchi MT, Petrocelli G, Balestrazzi E. 22(5):461-466.
- Refractive surgery with phakic IOLs. Miller D. 22(2):208. [Book Review]
- Relative contribution of central and peripheral aberrations to overall high order corneal wavefront aberration. Lombardo M, Lombardo G, Manzulli M, Palombi M, Serrao S. 22(7):656-664.
- Reliability of corneal and total wavefront aberration measurements with the SCHWIND corneal and ocular wavefront analyzers. Holzer MP, Sassenroth M, Auffarth GU. 22(9):917-920.
- Repeat LASIK after penetrating keratoplasty for repair of a corneal perforation from previous LASIK. Altan-Yaycioglu R, Akova YA, Gur S, Veziroglu U. 22(4):331-332. [Letter]
- Reproducibility of flap thickness with IntraLase FS and Moria LSK-1 and M2 microkeratomes. Talamo JH, Meltzer J, Gardner J. 22(6):556-561.
- Reproducibility of wavefront measurements using the LADARWave aberrometer. Lewis CD, Krueger RR. 22(9):S973-S979.
- Response of the cornea for up to four years after photorefractive keratectomy for myopia. Lombardo M, Lombardo G, Manzulli M, Serrao S. 22(2):178-186.
- Retinal detachment in myopic eyes after phakic intraocular lens implantation. Ruiz-Moreno JM, Montero JA, de la Vega C, Alió JL, Zapater P. 22(3):247-252.
- Retreatment of LASIK. Sharma N, Balasubramanya R, Sinha R, Titiyal JS, Vajpayee RB. 22(4):396-401. [Review Article]
- Rhegmatogenous retinal detachment after LASIK for myopia. Faghihi H, Jalali KH, Amini A, Hashemi H, Fotouhi A, Esfahani MR. 22(5):448-452.
- Scheimpflug biometry of the anterior segment after implantation of foldable iris-fixated lenses. Tehrani M, Dick HB. 22(3):243-246.
- Sequential ablation approach to the correction of mixed astigmatism. Pinelli R, Ngassa EN, Scaffidi E. 22(8):787-794.
- Shack-Hartmann-based wavefront analyzer for calibrating excimer lasers. Somani S, Cheng L, Zickler L, Gross E. 22(9):938-942.
- Small incision insertion of posterior lamellar button. Harvey TM. 22(5):429. [Letter]
- Smolin and Thoft's *The Cornea*. Miller D. 22(1):109. [Book Review]
- Standardized analyses of correction of astigmatism by laser systems that reshape the cornea. Eydelman MB, Drum B, Holladay J, Hilmantel G, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. 22(1):81-95.
- Standardized analyses of correction of astigmatism. Lenton L. 22(7):636-638. [Letter]
- Standardized analyses of correction of astigmatism. Eydelman MB, Drum B, Holladay J, Hilmantel G, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. 22(7):638. [Reply to Letter]
- Ten-year follow-up of 360° intrastromal corneal rings for myopia. Schwartz AP, Tinio BO, Esmail F, Babayan A, Naikoo HN, Asbell PA. 22(9):878-883.
- Terms used for the analysis of astigmatism. Alpíns N. 22(6):528. [Letter]
- Terms used for the analysis of astigmatism. Eydelman MB, Drum B, Hilmantel G, Holladay J, Kezirian G, Durrie D, Stulting RD, Sanders D, Wong B. 22(6):528-529. [Reply to Letter]
- The effect of Nd:YAG laser capsulotomy size on refraction and visual acuity. Yilmaz S, Ozdil MA, Bozkir N, Maden A. 22(7):719-721. [Report]
- The effect of phenylephrine and cyclopentolate on objective wavefront measurements. Jankov MR II, Iseli HP, Bueeler M, Schor P, Seiler T, Mrochen M. 22(5):472-481.
- The effect of scleral buckling surgery on corneal astigmatism, corneal thickness, and anterior chamber depth. Cetin E, Ozbek Z, Saatci AO, Durak I. 22(5):494-499.
- The effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients. Aslanides IM, Tsiklis NS, Ozkilib E, Coskunseven E, Pallikaris IG, Jankov MR. 22(6):585-588.
- The ideal excimer beam for refractive surgery. Pettit GH. 22(9):S969-S972.

- The LADAR6000: results in highly myopic and highly astigmatic eyes. Lee VW. 22(9):S980-S982.
- The "sandwich technique" for iris-fixated phakic intraocular lens implantation. Tehrani M, Dick HB. 22(1):96-98.
- Thin head and single use microkeratomers reduce epithelial defects during LASIK. Khachikian SS, Morason RT, Belin MW, Mishra G. 22(5):482-485.
- Topographic- and wavefront-guided customized ablations with the NIDEK-EC5000CXII in LASIK for myopia. Kermani O, Schmiedt K, Oberheide U, Gerten G. 22(8):754-763.
- Topography-guided CATz versus conventional LASIK for myopia with the NIDEK EC-5000: a bilateral eye study. Farooqui MA, Al-Muammar AR. 22(8):741-745.
- Topography-guided LASIK with the WaveLight laser after penetrating keratoplasty. Cosar CB, Acar S. 22(7):716-719. [Report]
- Topography-guided treatment of irregular astigmatism with the WaveLight excimer laser. Jankov MR II, Panagopoulou SI, Tsiklis NS, Hajitanasis GC, Aslanides IM, Pallikaris IG. 22(4):335-344.
- Traumatic corneal flap dislocation one to six years after LASIK in nine eyes with a favorable outcome. Landau D, Levy J, Solomon A, Lifshitz T, Orucov F, Strassman E, Frucht-Pery J. 22(9):884-889.
- Traumatic dislocation and successful re-enclavation of an Artisan phakic IOL with analysis of the endothelium. Ioannidis A, Nartey I, Little BC. 22(1):102-103. [Report]
- Traumatic epithelial flap detachment after laser subepithelial keratomileusis. Tsuji K, Yamamoto T, Hori-Komai Y, Toda I, Tsubota K. 22(3):305-307. [Report]
- Traumatic late flap dehiscence and *enterobacter* keratitis following LASIK. Cheung LM, Papalkar D, Versace P. 22(4):402-404. [Report]
- Twelve-year follow-up of photorefractive keratectomy for low to moderate myopia. O'Connor J, O'Keeffe M, Condon PI. 22(9):871-877.
- Two-step LASIK with topography-guided ablation to correct astigmatism after penetrating keratoplasty. Mularoni A, Laffi GL, Bassein L, Tassinari G. 22(1):67-74.
- Ultrasound and partial coherence interferometry with measurement of central corneal thickness. Much MM, Haigis W. 22(7):665-670.
- Unified formulas for phakic/aphakic intraocular lens and spectacle/cornea power conversion. Lin JT. 22(7):639-640. [Letter]
- Update of presbyopia treatment by scleral ablation using Er:YAG and UV lasers. Lin JT. 22(1):16-17. [Letter]
- Update of presbyopia treatment by scleral ablation using Er:YAG and UV lasers. Ito M. 22(1):17. [Reply to Letter]
- Use of peripheral chatter lines for free-flap alignment during LASIK. Lee JH, Kim M, Kim EK. 22(7):721-723.
- Validation of the Barraquer tonometer for high intraocular pressure estimation. Espana EM, Acosta AC, Nose I, Orozco M, Fantes F, Yoo SH, Parel J-M. 22(6):580-584.
- Very high-frequency ultrasound analysis of non-contact Holmium laser thermal keratoplasty treatment spots. Belmont SC, Chen S, Ruffy R, Chai SJ, Silverman R, Coleman DJ. 22(4):376-386.
- Visual acuities and manifest refractions prior to LASIK retreatments. Kakaria SK, Kornstein HS. 22(2):200-202. [Report]
- Visual acuity, contrast sensitivity, reading speed, and wavefront analysis: pseudophakic eye with multifocal IOL (ReSTOR) versus fellow phakic eye in non-presbyopic patients. Souza CE, Gerente VM, Chalita MR, Soriano ES, Freitas LL, Belfort R Jr. 22(3):303-305. [Report]
- Wavefront aberrations in eyes with Acrysof monofocal intraocular lenses. Padmanabhan P, Yoon G, Porter J, Rao SK, JR, Choudhury M. 22(3):237-242.
- Wavefront analysis in Asian-Brazilians. Nakano EM, Bains H, Nakano K, Nakano C, Portellinha W, Oliveira M, Alvarenga L. 22(9):S1024-S1026.
- Wavefront analyzers induce instrument myopia. Cervino A, Hosking SL, Rai GK, Naroo SA, Gilmartin B. 22(8):795-803.
- Wavefront-guided enhancements using the Wavelight excimer laser in symptomatic eyes previously treated with LASIK. Kanellopoulos AJ, Pe LH. 22(4):345-349.
- Wavefront-guided treatment of symptomatic eyes using the LADAR6000 excimer laser. Carones R, Vigo L, Scandola E. 22(9):S983-S989.
- Wavefront-supported photorefractive keratectomy with the Bausch & Lomb Zyoptix in patients with myopic astigmatism and suspected keratoconus. Bahar I, Levinger S, Kremer I. 22(6):533-538.
- ZB5M anterior chamber and Fyodorov's posterior chamber phakic intraocular lenses: long-term follow-up. Utine CA, Bayraktar S, Kaya V, Eren H, Perente I, Kucuksumer Y, Kevser MA, Yilmaz OF. 22(9):906-910. [Report]